AUTHOR INDEX

December 1997

Ala-Korpela, M., 2907
Amadei, A., 2891
Angleson, J. K., 3182
Anston, A., 3287
Armstrong, C. M., 3349
Arvidson, G., 3078

Baginskas, A., 3004
Bailey, M., 3257
Balis, F. M., 3277
Belohorcová, K., 3039
Bemski, G., 3225
Berendsen, H. J. C., 2891
Bhattacharya, S., 3230, 3241
Blanch, H. W., 3211
Brandenburg, D., 3287
Bugrim, A. E., 2897

Casassas, E., 2937
Cheng, A., 2851
Conn, D. A., 2891
Cowan, C. W., 3182
Cramer, W. A., 3265
Cummings, P. T., 2930

Davidson, B. E., 3257
Davis, J. H., 3039
de Groot, B. L., 2891
de Juan, A., 2937
Dickinson, M. H., 3122
Dickopf, S., 3171
Dodson, G., 3287
Driscoll, S. L., 3277
Duffy, K. J., 2930

El-Sayed, M. A., 3164
Epand, R. M., 3089
Eppmann, P., 3309
Epstein, I. R., 2897

Faber, D. S., 2874
Feigenson, G. W., 3112
Feofanov, A., 3317, 3328
Findlay, J. B. C., 2891
Fleury, F., 3317, 3328
Flores, M., 3225
Fonrodona, G., 2937
Ford, R. M., 2930
Fornefeld, U. M., 3211

Galvanovskis, J., 3056
Garcia de la Torre, J., 3142
Gimsa, J., 3309
Grosberg, A. Y., 3192
Gutman, A., 3004

Hatta, I., 3030
Hawkins, M. E., 3277
Helfrich, W., 3016
Heyer, C., 3211
Heyn, M. P., 3171
Hounsgaard, J., 3004
Huertas, M. L., 3142
Hui, S. W., 3066
Hyatt, C. J., 3122
Hyvönen, M. T., 2907

Israelewitz, B., 2972
Iwasa, K. H., 2965
Izquierdo-Ridorsa, A., 2937
Izrailev, S., 2972

Kamalov, V. F., 3164
Katsaras, J., 2924
Khodakhah, K., 3349
Killian, J. A., 3078
Klösgen, B., 3016
Koeppe, R. E., II, 3078
Konishi, M., 3358, 3371
Korn, H., 2874
Krishtalik, L. I., 3265
Kruk, P. J., 2874
Kudelina, I., 3317, 3328
Kuehner, D. E., 3211

Laws, W. R., 3277
Lecomte, J. T. J., 3230, 3241
Lehmann, F-O., 3122
Lenz, V., 3287
Lin, M., 3337
Lindblom, G., 3078
Linderman, J. J., 2949
Lopez Martinez, M. C., 3142

MacLaughlin, K. L., 3230
Maughan, D. W., 3122
Melia, T. J., Jr., 3182
Merchant, K., 3154
Merz, K. M., Jr., 2851
Moore, J. R., 3122
Morein, S., 3078

Nabiev, I., 3317, 3328
Navarro, S., 3142

Ohmae, H., 3030
Omann, G. M., 2949
Otokiti, E. O., 3135

Pande, V. S., 3192
Persson, S., 3078
Petersheim, M., 3337
Pfleiderer, W., 3277
Plant, A. L., 3066
Poon, J., 3257
Prausnitz, J. M., 3211
Prüger, B., 3309

Radzwill, N., 3287
Rämsch, C., 3211
Rantala, T. T., 2907
Rao, N. M., 3066
Reedy, M. C., 3122
Rill, R. L., 3154
Rinaldi, F., 3337
Roux, B., 2980, 3039

Sandblom, J., 3056
Sawyer, W. H., 3257
Schellman, J. A., 2960
Schulten, K., 2972
Shapiro, M. J., 3337
Sharonov, S., 3317, 3328
Shea, L. D., 2949
Sheardy, R. D., 3135
Siegel, D. P., 3089
Silin, V., 3066
Simcox, A., 3122
Sklenar, H., 2990
Song, L., 3164
Soriano, G. M., 3265
Steinhoff, H-J., 3287
Strandberg, E., 3078
Sukits, S. F., 3230
Svirko, Y. P., 3164
Svirskis, G., 3004

Takahashi, H., 3030
Tanaka, T., 3192
Tashiro, M., 3358, 3371
Tauler, R., 2937
Thevis, W., 3287
Tohtong, R., 3122

van Aalten, D. M. F., 2891
Vigoreaux, J. O., 3122
Volkov, V., 3164

Wajnberg, E., 3225
Wensel, T. G., 3182
Wight, S., 3066
Winzor, D. J., 3257
Wollmer, A., 3287
Woolf, T. B., 3039

Yamashita, H., 3122
You, H., 3299
Yu, L., 3299

Zacharias, M., 2990
Zhabotinsky, A. M., 2897

AUTHOR INDEX

A

Aczél, S. *See* Degtiar, Aczél, Döring, Timin, Berjukow, Kimball, Mitterdorfer, and Hering

Adachi, M. and Iwasa, K. H. Effect of diamide on force generation and axial stiffness of the cochlear outer hair cell, 2809

——— *See* Iwasa and Adachi

Adcock, C. *See* Sansom, Smith, Adcock, and Biggin

Addona, G. H. *See* Rankin, Addona, Kloczewiak, Bugge, and Miller

Afdhal, N. H. *See* Cao, Bansil, Gantz, Moore, Niu, and Afdhal

Agre, P. *See* Cabiaux, Oberg, Pancoska, Walz, Agre, and Engel

Akselrod, S. *See* Sharf, Knubovets, Dayan, Hirshberg, Akselrod, and Navon

Ala-Korpela, M. *See* Hyvönen, Rantala, and Ala-Korpela

Albersdörfer, A., Feder, T., and Sackmann, E. Adhesion-induced domain formation by interplay of long-range repulsion and short-range attraction force: a model membrane study, 245

Aliev, M. K. and Saks, V. A. Compartmentalized energy transfer in cardiomyocytes: use of mathematical modeling for analysis of in vivo regulation of respiration, 428

Allemand, J.-F., Bensimon, D., Jullien, L., Bensimon, A., and Croquette, V. pH-dependent specific binding and combing of DNA, 2064

Allison, S. A., Potter, M., and McCammon, J. A. Modeling the electrophoresis of lysozyme. II. Inclusion of ion relaxation, 133

Allocatelli, C. T. *See* Zhang, Cutruzzolá, Allocatelli, Brunori, and La Mar

Amadei, A. *See* Chillemi, Falconi, Amadei, Zimatore, Desideri, and Di Nola

——— *See* van Aalten, Conn, de Groot, Berendsen, Findlay, and Amadei

Andersen, O. S. *See* Girshman, Greathouse, Koeppe, and Andersen

Angleson, J. K. *See* Melia, Cowan, Angleson, and Wensel

Anston, A. *See* Steinhoff, Radzwill, Thevis, Lenz, Brandenburg, Anston, Dodson, and Wollmer

Antonenko, Y. N. *See* Rolitskaya, Antonenko, and Kotova

Antzutkin, O. N. *See* Song, Antzutkin, Lee, Shekar, Rupprecht, and Levitt

Araiso, T. *See* Kikukawa, Araiso, Shimozawa, Mukasa, and Kamo

Århem, P. *See* Elinder and Århem

Arispe, N. *See* Kawahara, Arispe, Kuroda, and Rojas

Armstrong, C. M. *See* Khodakhah and Armstrong

Arnold, G. E. and Ornstein, R. L. Molecular dynamics study of time-correlated protein domain motions and molecular flexibility: cytochrome P450BM-3, 1147

Arnold, K. *See* Huster, Jin, Arnold, and Gawrisch

Arrio-Dupont, M., Foucault, G., Vacher, M., Douhou, A., and Cribier, S. Mobility of creatine phosphokinase and β-enolase in cultured muscle cells, 2667

Arvidson, G. *See* Morein, Strandberg, Killian, Persson, Arvidson, Koeppe, and Lindblom

Ashley, R. H. *See* Clark, Murray, and Ashley

Axelrod, D. *See* Kiernan, MacDonald, MacDonald, and Axelrod

B

Backx, P. H. *See* Li, Tsushima, Kallen, and Backx

Baekmark, T. R., Pedersen, S., Jørgensen, K., and Mouritsen, O. G. The effects of ethylene oxide containing lipopolymers and tri-block copolymers on lipid bilayers of dipalmitoylphosphatidylcholine, 1479

Baginskas, A. *See* Svirskis, Baginskas, Hounsgaard, and Gutman

Bagshaw, C. R. *See* Chaen, Shirakawa, Bagshaw, and Sugi

Bailey, M. *See* Poon, Bailey, Winzor, Davidson, and Sawyer

Balis, F. M. *See* Driscoll, Hawkins, Balis, Pfleiderer, and Laws

Balog, E., Kis-Petik, K., Fidy, J., Köhler, M., and Friedrich, J. Interpretation of multiple Q(0,0) bands in the absorption spectrum of Mg-mesoporphyrin embedded in horseradish peroxidase, 397

Balsera, M., Stepaniants, S., Izrailev, S., Oono, Y., and Schulten, K. Reconstructing potential energy functions from simulated force-induced unbinding processes, 1281

Ban, C. *See* Pan, Ban, Wahl, and Sundaralingam

Bansil, R. *See* Cao, Bansil, Gantz, Moore, Niu, and Afdhal

Barbet, J. *See* Thimonier, Montixi, Chauvin, He, Rocca-Serra, and Barbet

Barg, S. *See* Copello, Barg, Onoue, and Fleischer

Barrio, L. C., Capel, J., Jarillo, J. A., Castro, C., and Revilla, A. Species-specific voltage-gating properties of connexin-45 junctions expressed in *Xenopus* oocytes, 757

Bartlett, C. *See* Chen, Leong, Imredy, Bartlett, Zhang, and MacLennan

Bashford, C. L. *See* Korchev, Bashford, Milovanovic, Vodyanoy, and Lab

Bassolino, D. *See* Shen, Bassolino, and Stouch

Baumgärtner, A. *See* Sintes and Baumgärtner

Baumgartner, W. *See* Höfer, Hohenthanner, Baumgartner, Groschner, Klugbauer, Hofmann, and Romanin

Bazylinski, D. A. *See* Frankel, Bazylinski, Johnson, and Taylor

Beam, K. G. *See* Dirksen, Nakai, Gonzalez, Imoto, and Beam

Becker, F. F. *See* Huang, Wang, Becker, and Gascoyne

Bedeaux, D. *See* Fujitani and Bedeaux

Bekkers, J. M. *See* Clements and Bekkers

Belágyi, J. *See* Nyitrai, Hild, Belágyi, and Somogyi

Belohorcová, K., Davis, J. H., Woolf, T. B., and Roux, B. Structure and dynamics of an amphiphilic peptide in a lipid bilayer: a molecular dynamics study, 3039

Belotserkovskii, B. P. and Johnston, B. H. A random-walk model for retardation of interacting species during gel electrophoresis: implications for gel-shift assays, 1288

Bemski, G. *See* Flores, Wajnberg, and Bemski

Bénitah, J.-P., Ranjan, R., Yamagishi, T., Janecki, M., Tomaselli, G. F., and Marban, E. Molecular motions within the pore of voltage-dependent sodium channels, 603

Bennett, M. R., Gibson, W. G., and Robinson, J. Probabilistic secretion of quanta and the synaptosecretosome hypothesis: evoked release at active zones of varicosities, boutons, and endplates, 1815

Ben-Shaul, A. *See* May and Ben-Shaul

Bensimon, A. *See* Allemand, Bensimon, Jullien, Bensimon, and Croquette

Bensimon, D. *See* Allemand, Bensimon, Jullien, Bensimon, and Croquette

Ben-Tal, N., Honig, B., Miller, C., and McLaughlin, S. Electrostatic binding of proteins to membranes. Theoretical predictions and experimental results with charybdotoxin and phospholipid vesicles, 1717

Berendsen, H. J. C. *See* van Aalten, Conn, de Groot, Berendsen, Findlay, and Amadei

Berjukow, S. *See* Degtiar, Aczél, Döring, Timin, Berjukow, Kimball, Mitterdorfer, and Hering

Bernhardt, I. *See* Richter, Hamann, Kummerow, and Bernhardt

Bers, D. M. *See* Shannon and Bers

Betarbet, S. *See* Hall, Betarbet, and Jaramillo

Beurg, M., Sukhareva, M., Strube, C., Powers, P. A., Gregg, R. G., and Coronado, R. Recovery of Ca^{2+} current, charge movements, and Ca^{2+} transients in myotubes deficient in dihydropyridine receptor β_1 subunit transfected with β_1 cDNA, 807

Beveridge, D. L. *See* Young, Ravishanker, and Beveridge
Bezrukov, S. M. and Vodyanoy, I. Signal transduction across alamethicin ion channels in the presence of noise, 2456
Bhat, M. B., Zhao, J., Hayek, S., Freeman, E. C., Takeshima, H., and Ma, J. Deletion of amino acids 1641–2437 from the foot region of skeletal muscle ryanodine receptor alters the conduction properties of the Ca release channel, 1320
———, **M. B., Zhao, J., Takeshima, H., and Ma, J.** Functional calcium release channel formed by the carboxyl-terminal portion of ryanodine receptor, 1329
Bhattacharya, S. and Lecomte, J. T. J. Temperature dependence of histidine ionization constants in myoglobin, 3241
———, **Sukits, S. F., MacLaughlin, K. L., and Lecomte, J. T. J.** The tautomeric state of histidines in myoglobin, 3230
Biagio, P. L. S. *See* Martorana, Bulone, Biagio, Palma-Vittorelli, and Palma
Biggin, P. C. *See* Sansom, Smith, Adcock, and Biggin
——— *See* Woolley, Biggin, Schultz, Lien, Jaikaran, Breed, Crowhurst, and Sansom
Bihler, H. and Stark, G. The inner membrane barrier of lipid membranes experienced by the valinomycin/Rb^+ complex: charge pulse experiments at high membrane voltages, 746
Binnig, G. *See* Ohnesorge, Hörber, Häberle, Czerny, Smith, and Binnig
Bishop, T. C. *See* Kosztin, Bishop, and Schulten
Blanch, H. W. *See* Kuehner, Heyer, Rämsch, Fornefeld, Blanch, and Prausnitz
Bologna, C. *See* Cupane, Bologna, Rizzo, Vitrano, and Cordone
Boncheva, M. and Vogel, H. Formation of stable polypeptide monolayers at interfaces: controlling molecular conformation and orientation, 1056
Bonifacio, G. F., Brown, T., Conn, G. L., and Lane, A. N. Comparison of the electrophoretic and hydrodynamic properties of DNA and RNA oligonucleotide duplexes, 1532
Bornberg-Bauer, E. How are model protein structures distributed in sequence space?, 2393
Braiman, M. S. *See* Plunkett, Jonas, and Braiman
Brandenburg, D. *See* Steinhoff, Radzwill, Thevis, Lenz, Brandenburg, Anston, Dodson, and Wollmer
Breed, J. *See* Woolley, Biggin, Schultz, Lien, Jaikaran, Breed, Crowhurst, and Sansom
Brenner, B. *See* Xu, Malinchik, Gilroy, Kraft, Brenner, and Yu
Brockman, H. L. *See* Smaby, Momsen, Brockman, and Brown
Brokaw, C. J. Mechanical components of motor enzyme function, 938
Bronk, B. V. *See* Van De Merwe, Li, Bronk, and Czégé
Brown, L. S. *See* Renthal, Chung, Escamilla, Brown, and Lanyi
Brown, R. E. *See* Smaby, Momsen, Brockman, and Brown
Brown, T. *See* Bonifacio, Brown, Conn, and Lane
Brunne, R. M. *See* Molinari, Esposito, Ragona, Pegna, Niccolai, Brunne, Lesk, and Zetta
Brunori, M. *See* Zhang, Cutruzzolá, Allocatelli, Brunori, and La Mar
Bryant, R. G. *See* Hodges, Cafiso, Polnaszek, Lester, and Bryant
Buchter, S. *See* Galkin, Buchter, Tabirian, and Schulte
Buck, D. R. *See* Savikhin, Buck, and Struve
Bugge, B. *See* Rankin, Addona, Kloczewiak, Bugge, and Miller
Bugrim, A. E., Zhabotinsky, A. M., and Epstein, I. R. Calcium waves in a model with a random spatially discrete distribution of Ca^{2+} release sites, 2897
Bullen, A., Patel, S. S., and Saggau, P. High speed, random-access fluorescence microscopy: I. High resolution optical recording with voltage-sensitive dyes and ion indicators, 477
Bulone, D. *See* Martorana, Bulone, Biagio, Palma-Vittorelli, and Palma
Busath, D. D. *See* Hao, Pear, and Busath

C

Cabiaux, V., Oberg, K. A., Pancoska, P., Walz, T., Agre, P., and Engel, A. Secondary structures comparison of aquaporin-1 and bacteriorhodopsin: a Fourier transform infrared spectroscopy study of a two-dimensional membrane crystals, 406
Cabral-Lilly, D., Tobacman, L. S., Mehegan, J. P., and Cohen, C. Molecular polarity in tropomyosin-troponin T co-crystals, 1763
Caffrey, M. *See* Itri, Zhang, and Caffrey
Cafiso, D. S. *See* Hodges, Cafiso, Polnaszek, Lester, and Bryant
Cannell, M. B. and Soeller, C. Numerical analysis of ryanodine receptor activation by L-type channel activity in the muscle diad, 112
——— *See* Soeller and Cannell
Cao, X., Bansil, R., Gantz, D., Moore, E. W., Niu, N., and Afdhal, N. H. Diffusion behavior of lipid vesicles in entangled polymer solutions, 1932
Capel, J. *See* Barrio, Capel, Jarillo, Castro, and Revilla
Carafoli, E. *See* Navangione, Rispoli, Gabellini, and Carafoli
Carlier, M.-F., Didry, D., and Pantaloni, D. Hydrolysis of GTP associated with the formation of tubulin oligomers is involved in microtubule nucleation, 418
Carlson, J. W., Jonas, A., and Sligar, S. G. Imaging and manipulation of high-density lipoproteins, 1184
Carlson, P. A., Gelb, M. H., and Yager, P. Zero-order interfacial enzymatic degradation of phospholipid tubules, 230
Carson, J. H. *See* Schaff, Fink, Slepchenko, Carson, and Loew
Casassas, E. *See* de Juan, Izquierdo-Ridorsa, Tauler, Fonrodona, and Casassas
Castro, C. *See* Barrio, Capel, Jarillo, Castro, and Revilla
Chaen, S., Shirakawa, I., Bagshaw, C. R., and Sugi, H. Measurement of nucleotide release kinetics in single skeletal muscle myofibrils during isometric and isovelocity contractions using fluorescence microscopy, 2033
Chattopadhyay, A., Mukherjee, S., Rukmini, R., Rawat, S. S., and Sudha, S. Ionization, partitioning, and dynamics of tryptophan octyl ester: implications for membrane-bound tryptophan residues, 839
Chauvin, J.-P. *See* Thimonier, Montixi, Chauvin, He, Rocca-Serra, and Barbet
Chavali, G. B. *See* Grewal, Nagpal, Chavali, Majumdar, Pal, and Salunke
Chay, T. R. Effects of extracellular calcium on electrical bursting and intracellular and luminal calcium oscillations in insulin secreting pancreatic β-cells, 1673
Chen, D., Xu, L., Tripathy, A., Meissner, G., and Eisenberg, B. Permeation through the calcium release channel of cardiac muscle, 1337
Chen, F.-M. Supramolecular self-assembly of $d(TGG)_4$, synergistic effects of K^+ and Mg^{2+}, 348
Chen, G., Fournier, R. L., Varanasi, S., and Mahama-Relue, P. A. *Helicobacter pylori* survival in gastric mucosa by generation of a pH gradient, 1081
Chen, J. *See* Flanagan, Cunningham, Chen, Prestwich, Kosik, and Janmey
Chen, S. R. W., Leong, P., Imredy, J. P., Bartlett, C., Zhang, L., and MacLennan, D. H. Single channel properties of the recombinant skeletal muscle Ca^{2+} release channel (ryanodine receptor), 1904
Chen, S.-w. W. *See* Pellequer and Chen
Chen, X.-Z., Coady, M. J., Jalal, F., Wallendorff, B., and Lapointe, J.-Y. Sodium leak pathway and substrate binding order in the Na^+-glucose cotransporter, 2503
Chen, Z. and Rand, R. P. The influence of cholesterol on phospholipid membrane curvature and bending elasticity, 267
Cheng, A. and Merz, K. M., Jr. Ice-binding mechanism of winter flounder antifreeze proteins, 2851

Cheng, K. H., Ruonala, M., Virtanen, J., and Somerharju, P. Evidence for superlattice arrangements in fluid phosphatidylcholine/phosphatidylethanolamine bilayers, 1967
Cheung, H. C. *See* She, Dong, Umeda, and Cheung
Chillemi, G., Falconi, M., Amadei, A., Zimatore, G., Desideri, A., and Di Nola, A. The essential dynamics of Cu,Zn superoxide dismutase: suggestion of intersubunit communication, 1007
Chirico, G. *See* Hammermann, Steinmaier, Merlitz, Kapp, Waldeck, Chirico, and Langowski
Christiansen, D. L. *See* Pins, Christiansen, Patel, and Silver
Chung, J. C., Sciaky, N., and Gross, D. J. Heterogeneity of epidermal growth factor binding kinetics on individual cells, 1089
Chung, Y.-J. *See* Renthal, Chung, Escamilla, Brown, and Lanyi
Chung, Y. *See* Wang, Kreutzer, Chung, and Jue
Clague, M. J. *See* Nüssler, Clague, and Herrmann
Clark, A. G., Murray, D., and Ashley, R. H. Single-channel properties of a rat brain endoplasmic reticulum anion channel, 168
Clements, J. D. and Bekkers, J. M. Detection of spontaneous synaptic events with an optimally scaled template, 220
Coady, M. J. *See* Chen, Coady, Jalal, Wallendorff, and Lapointe
Cohen, C. *See* Cabral-Lilly, Tobacman, Mehegan, and Cohen
Cohen, J. A. and Highsmith, S. An improved fit to website osmotic pressure data, 1689
Conn, D. A. *See* van Aalten, Conn, de Groot, Berendsen, Findlay, and Amadei
Conn, G. L. *See* Bonifacio, Brown, Conn, and Lane
Copello, J. A., Barg, S., Onoue, H., and Fleischer, S. Heterogeneity of Ca^{2+} gating of skeletal muscle and cardiac ryanodine receptors, 141
Cordone, L. *See* Cupane, Bologna, Rizzo, Vitrano, and Cordone
Coronado, R. *See* Beurg, Sukhareva, Strube, Powers, Gregg, and Coronado
Cotten, M., Xu, F., and Cross, T. A. Protein stability and conformational rearrangements in lipid bilayers: linear gramicidin, a model system, 614
Cowan, A. E., Nakhimovsky, L., Myles, D. G., and Koppel, D. E. Barriers to diffusion of plasma membrane proteins form early during guinea pig spermiogenesis, 507
Cowan, C. W. *See* Melia, Cowan, Angleson, and Wensel
Cramer, W. A. *See* Soriano, Cramer, and Krishtalik
Crepeau, R. H. *See* Patyal, Crepeau, and Freed
Cribier, S. *See* Arrio-Dupont, Foucault, Vacher, Douhou, and Cribier
Croquette, V. *See* Allemand, Bensimon, Jullien, Bensimon, and Croquette
Cross, T. A. *See* Cotten, Xu, and Cross
——— *See* Kovacs and Cross
Crowhurst, K. *See* Woolley, Biggin, Schultz, Lien, Jaikaran, Breed, Crowhurst, and Sansom
Cruickshank, C. C., Minchin, R. F., Le Dain, A. C., and Martinac, B. Estimation of the pore size of the large-conductance mechanosensitive ion channel of *Escherichia coli*, 1925
Crumrine, D. S. *See* Cukierman, Quigley, and Crumrine
Csernoch, L. *See* Szentesi, Papp, Szűcs, Kovács, and Csernoch
Cukierman, S., Quigley, E. P., and Crumrine, D. S. Proton conduction in gramicidin A and in its dioxolane-linked dimer in different lipid bilayers, 2489
Cullis, P. R. *See* Mok and Cullis
Cummings, P. T. *See* Duffy, Ford, and Cummings
Cunningham, C. C. *See* Flanagan, Cunningham, Chen, Prestwich, Kosik, and Janmey
Cupane, A., Bologna, C., Rizzo, O., Vitrano, E., and Cordone, L. Local dynamics of DNA probed with optical absorption spectroscopy of bound ethidium bromide, 959
Curio, G. *See* Nolte and Curio
Cutruzzolá, F. *See* Zhang, Cutruzzolá, Allocatelli, Brunori, and La Mar
Czégé, J. *See* Van De Merwe, Li, Bronk, and Czégé
Czerny, C. P. *See* Ohnesorge, Hörber, Häberle, Czerny, Smith, and Binnig

D

Dabrowska, R. *See* Makuch, Zasada, Mabuchi, Krauze, Wang, and Dabrowska
Dalla Serra, M. *See* Nordera, Dalla Serra, and Menestrina
Dan, N. Multilamellar structures of DNA complexes with cationic liposomes, 1842
Danilova, V. M. *See* Filenko, Danilova, and Sobieszek
Darden, T. *See* Perera, Li, Darden, Monroe, and Pedersen
David, R. *See* Schaller, David, and Uhl
Davidson, B. E. *See* Poon, Bailey, Winzor, Davidson, and Sawyer
d'Avignon, D. A. *See* Holtzer, Lovett, d'Avignon, and Holtzer
Davis, J. H. *See* Belohorcová, Davis, Woolf, and Roux
Dayan, D. *See* Sharf, Knubovets, Dayan, Hirshberg, Akselrod, and Navon
de Groot, B. L. *See* van Aalten, Conn, de Groot, Berendsen, Findlay, and Amadei
de Juan, A., Izquierdo-Ridorsa, A., Tauler, R., Fonrodona, G., and Casassas, E. A soft-modeling approach to interpret thermodynamic and conformational transitions of polynucleotides, 2937
Degtiar, V. E., Aczél, S., Döring, F., Timin, E. N., Berjukow, S., Kimball, D., Mitterdorfer, J., and Hering, S. Calcium channel block by (−)devapamil is affected by the sequence environment and composition of the phenylalkylamine receptor site, 157
Delrow, J. J., Heath, P. J., and Schurr, J. M. On the origin of the temperature dependence of the supercoiling free energy, 2688
Dencher, N. A. *See* Fitter, Lechner, and Dencher
Denegre, J. M. *See* Valles, Lin, Denegre, and Mowry
Desideri, A. *See* Chillemi, Falconi, Amadei, Zimatore, Desideri, and Di Nola
Di Iorio, E. E., Tavernelli, I., and Yu, W. Dynamic properties of the monomeric insect erythrocruorin-III from *Chironomus thummi-thummi*: relationships between structural flexibility and functional complexity, 2742
Di Nola, A. *See* Chillemi, Falconi, Amadei, Zimatore, Desideri, and Di Nola
Diamond, S. L. *See* Tandon and Diamond
Dickinson, M. H., Hyatt, C. J., Lehmann, F.-O., Moore, J. R., Reedy, M. C., Simcox, A., Tohtong, R., Vigoreaux, J. O., Yamashita, H., and Maughan, D. W. Phosphorylation-dependent power output of transgenic flies: an integrated study, 3122
Dickopf, S. and Heyn, M. P. Evidence for the first phase of the reprotonation switch of bacteriorhodopsin from time-resolved photovoltage and flash photolysis experiments on the photoreversal of the M-intermediate, 3171
Dico, A. S., Taneva, S., Morrow, M. R., and Keough, K. M. W. Effect of calcium on phospholipid interaction with pulmonary surfactant protein C, 2595
Didry, D. *See* Carlier, Didry, and Pantaloni
Diehl, M., Doster, W., Petry, W., and Schober, H. Water-coupled low-frequency modes of myoglobin and lysozyme observed by inelastic neutron scattering, 2726
Ding, J. P. *See* Solaro, Ding, Li, and Lingle
Dirksen, R. T., Nakai, J., Gonzalez, A., Imoto, K., and Beam, K. G. The S5-S6 linker of repeat I is a critical determinant of L-type Ca^{2+} channel conductance, 1402
Dodson, G. *See* Steinhoff, Radzwill, Thevis, Lenz, Brandenburg, Anston, Dodson, and Wollmer
Donald, R. A. *See* LeBeau, Robson, McKinnon, Donald, and Sneyd

Dong, J. *See* Zhang, Song, Dong, and El-Sayed
Dong, W.-J. *See* She, Dong, Umeda, and Cheung
Döring, F. *See* Degtiar, Aczél, Döring, Timin, Berjukow, Kimball, Mitterdorfer, and Hering
dos Remedios, C. G. *See* Ishiwata, Miki, Shin, Funatsu, Yasuda, and dos Remedios
Doster, W. *See* Diehl, Doster, Petry, and Schober
Douhou, A. *See* Arrio-Dupont, Foucault, Vacher, Douhou, and Cribier
Driscoll, S. L., Hawkins, M. E., Balis, F. M., Pfleiderer, W., and Laws, W. R. Fluorescence properties of a new guanosine analog incorporated into small oligonucleotides, 3277
Drygalla, V. *See* Wussling, Scheufler, Schmerling, and Drygalla
Dubertret, B. and Rivier, N. The renewal of the epidermis: a topological mechanism, 38
Ducruix, A. *See* Retailleau, Riès-Kautt, and Ducruix
Duffy, K. J., Ford, R. M., and Cummings, P. T. Residence time calculation for chemotactic bacteria within porous media, 2930
Dulhunty, A. F. *See* Laver, Owen, Junankar, Taske, Dulhunty, and Lamb
Dumas, F., Sperotto, M. M., Lebrun, M.-C., Tocanne, J.-F., and Mouritsen, O. G. Molecular sorting of lipids by bacteriorhodopsin in dilauroylphosphatidylcholine/distearoylphosphatidycholine lipid bilayers, 1940

E

Eden, D. and Highsmith, S. Light chain-dependent myosin structural dynamics in solution investigated by transient electrical birefringence, 952
Edwards, G. *See* Wagner, Keyes, Kephart, and Edwards
Edwards, K., Johnsson, M., Karlsson, G., and Silvander, M. Effect of polyethyleneglycol-phospholipids on aggregate structure in preparations of small unilamellar liposomes, 258
Ehrenstein, G., Galdzicki, Z., and Lange, G. D. The choline-leakage hypothesis for the loss of acetylcholine in Alzheimer's disease, 1276
Eisenberg, B. *See* Chen, Xu, Tripathy, Meissner, and Eisenberg
Elinder, F. and Århem, P. Tail currents in the myelinated axon of *Xenopus laevis* suggest a two-open-state Na channel, 179
El-Sayed, M. A. *See* Volkov, Svirko, Kamalov, Song, and El-Sayed
——— *See* Zhang, Song, Dong, and El-Sayed
Elston, T. C. and Oster, G. Protein turbines I: the bacterial flagellar motor, 703
Engel, A. *See* Cabiaux, Oberg, Pancoska, Walz, Agre, and Engel
——— *See* Müller and Engel
Epand, R. M. *See* Siegel and Epand
Eppmann, P. *See* Gimsa, Eppmann, and Prüger
Epstein, I. R. *See* Bugrim, Zhabotinsky, and Epstein
Escamilla, R. *See* Renthal, Chung, Escamilla, Brown, and Lanyi
Esposito, G. *See* Molinari, Esposito, Ragona, Pegna, Niccolai, Brunne, Lesk, and Zetta
Eszes, M. M. *See* Kindzelskii, Eszes, Todd, and Petty

F

Faber, D. S. *See* Kruk, Korn, and Faber
Falconi, M. *See* Chillemi, Falconi, Amadei, Zimatore, Desideri, and Di Nola
Faria, T. *See* Subirana and Faria
Farkas, D. L. *See* Shonat, Wachman, Niu, Koretsky, and Farkas
——— *See* Wachman, Niu, and Farkas
Farrell, B. *See* Marszalek, Farrell, Verdugo, and Fernandez
——— *See* Marszalek, Farrell, Verdugo, and Fernandez
Featherstone, D. E. *See* Richmond, VanDeCarr, Featherstone, George, and Ruben
Feder, T. *See* Albersdörfer, Feder, and Sackmann
Feigenson, G. W. Partitioning of a fluorescent phospholipid between fluid bilayers: dependence on host lipid acyl chains, 3112
Feller, S. E., Yin, D., Pastor, R. W., and MacKerell, A. D., Jr. Molecular dynamics simulation of unsaturated lipid bilayers at low hydration: parameterization and comparison with diffraction studies, 2269
Feofanov, A., Sharonov, S., Fleury, F., Kudelina, I., and Nabiev, I. Quantitative confocal spectral imaging analysis of mitoxantrone within living K562 cells: intracellular accumulation and distribution of monomers, aggregates, naphtoquinoxaline metabolite, and drug-target complexes, 3328
———, **Sharonov, S., Kudelina, I., Fleury, F., and Nabiev, I.** Localization and molecular interactions of mitoxantrone within living K562 cells as probed by confocal spectral imaging analysis, 3317
Fernandez, J. M. *See* Marszalek, Farrell, Verdugo, and Fernandez
——— *See* Marszalek, Farrell, Verdugo, and Fernandez
Fidy, J. *See* Balog, Kis-Petik, Fidy, Köhler, and Friedrich
Filenko, A. M., Danilova, V. M., and Sobieszek, A. Smooth muscle myosin light chain kinase, supramolecular organization, modulation of activity, and related conformational changes, 1593
Findlay, J. B. C. *See* Horváth, Knowles, Kovachev, Findlay, and Marsh
——— *See* van Aalten, Conn, de Groot, Berendsen, Findlay, and Amadei
Fink, C. C. *See* Schaff, Fink, Slepchenko, Carson, and Loew
Fitter, J., Lechner, R. E., and Dencher, N. A. Picosecond molecular motions in bacteriorhodopsin from neutron scattering, 2126
Flach, C. R. *See* Gericke, Flach, and Mendelsohn
Flanagan, L. A., Cunningham, C. C., Chen, J., Prestwich, G. D., Kosik, K. S., and Janmey, P. A. The structure of divalent cation-induced aggregates of PIP_2 and their alteration by gelsolin and tau, 1440
Fleischer, S. *See* Copello, Barg, Onoue, and Fleischer
Fleury, F. *See* Feofanov, Sharonov, Fleury, Kudelina, and Nabiev
——— *See* Feofanov, Sharonov, Kudelina, Fleury, and Nabiev
Flores, M., Wajnberg, E., and Bemski, G. Temperature dependence of Q-band electron paramagnetic resonance spectra of nitrosyl heme proteins, 3225
Fonrodona, G. *See* de Juan, Izquierdo-Ridorsa, Tauler, Fonrodona, and Casassas
Ford, R. M. *See* Duffy, Ford, and Cummings
Fornefeld, U. M. *See* Kuehner, Heyer, Rämsch, Fornefeld, Blanch, and Prausnitz
Foucault, G. *See* Arrio-Dupont, Foucault, Vacher, Douhou, and Cribier
Fournier, R. L. *See* Chen, Fournier, Varanasi, and Mahama-Relue
Frankel, R. B., Bazylinski, D. A., Johnson, M. S., and Taylor, B. L. Magneto-aerotaxis in marine coccoid bacteria, 994
Freed, J. H. *See* Patyal, Crepeau, and Freed
Freeman, E. C. *See* Bhat, Zhao, Hayek, Freeman, Takeshima, and Ma
Frère, J. M. *See* Raquet, Lounnas, Lamotte-Brasseur, Frère, and Wade
Friedman, N. *See* Rousso, Friedman, Lewis, and Sheves
Friedrich, J. *See* Balog, Kis-Petik, Fidy, Köhler, and Friedrich
——— **and Nagel, G.** Comparison of Na^+/K^+-ATPase pump currents activated by ATP concentration or voltage jumps, 186
——— *See* Klingler and Friedrich
Frolenkov, G. I., Kalinec, F., Tavartkiladze, G. A., and Kachar, B. Cochlear outer hair cell bending in an external electric field, 1665
Fujitani, Y. and Bedeaux, D. A molecular theory for nonohmicity of the ion leak across the lipid-bilayer membrane, 1805

Funatsu, T. *See* Ishiwata, Miki, Shin, Funatsu, Yasuda, and dos Remedios

G

Gabb, H. A. *See* Šponer, Gabb, Leszczynski, and Hobza
Gabellini, N. *See* Navangione, Rispoli, Gabellini, and Carafoli
Gabriel, B. and Teissié, J. Direct observation in the millisecond time range of fluorescent molecule asymmetrical interaction with the electropermeabilized cell membrane, 2630
Galdzicki, Z. *See* Ehrenstein, Galdzicki, and Lange
Galkin, O., Buchter, S., Tabirian, A., and Schulte, A. Pressure effects on the proximal heme pocket in myoglobin probed by random and near-infrared absorption spectroscopy, 2752
Gallay, J. *See* Viard, Gallay, Vincent, Meyer, Robert, and Paternostre
Galvanovskis, J. and Sandblom, J. Amplification of electromagnetic signals by ion channels, 3056
Ganea, C., Gergely, C., Ludmann, K., and Váró, G. The role of water in the extracellular half channel of bacteriorhodopsin, 2718
Gantz, D. *See* Cao, Bansil, Gantz, Moore, Niu, and Afdhal
Garcia de la Torre, J. *See* Huertas, Navarro, Lopez Martinez, and Garcia de la Torre
Gascoyne, P. R. C. *See* Huang, Wang, Becker, and Gascoyne
Gautel, M. *See* Linke, Ivemeyer, Labeit, Hinssen, Rüegg, and Gautel
Gawrisch, K. *See* Huster, Jin, Arnold, and Gawrisch
——— *See* Koenig, Strey, and Gawrisch
Gelb, M. H. *See* Carlson, Gelb, and Yager
George, A. L., Jr. *See* Richmond, VanDeCarr, Featherstone, George, and Ruben
——— *See* Yang, George, and Horn
Gergely, C. *See* Ganea, Gergely, Ludmann, and Váró
Gericke, A., Flach, C. R., and Mendelsohn, R. Structure and orientation of lung surfactant SP-C and L-α dipalmitoylphosphatidylcholine in aqueous monolayers, 492
Gerig, J. T. *See* Lau and Gerig
Gerwert, K. *See* Hessling, Herbst, Rammelsberg, and Gerwert
——— *See* Rink, Riesle, Oesterhelt, Gerwert, and Steinhoff
Gibson, W. G. *See* Bennett, Gibson, and Robinson
Gil, T., Sabra, M. C., Ipsen, J. H., and Mouritsen, O. G. Wetting and capillary condensation as means of protein organization in membranes, 1728
Gilroy, D. *See* Xu, Malinchik, Gilroy, Kraft, Brenner, and Yu
Gimsa, J., Eppmann, P., and Prüger, B. Introducing phase analysis light scattering for dielectric characterization: measurement of traveling-wave pumping, 3309
Girshman, J., Greathouse, D. V., Koeppe, R. E., II, and Andersen, O. S. Gramicidin channels in phospholipid bilayers with unsaturated acyl chains, 1310
Glaeser, R. M. *See* Head-Gordon, Sorenson, Pertsemlidis, and Glaeser
Goldberg, E. M. and Zidovetzki, R. Effects of dipalmitoylglycerol and fatty acids on membrane structure and protein kinase C activity, 2603
Goldin, A. L. *See* Smith and Goldin
Gold'shtein, V. *See* Korngreen, Gold'shtein, and Priel
Golʼub, A. S., Popel, A. S., Zheng, L., and Pittman, R. N. Analysis of phosphorescence in heterogeneous systems using distributions of quencher concentration, 452
Goñi, F. M. *See* Pereira, Goñi, Muga, and Nieva
Gonzalez, A. *See* Dirksen, Nakai, Gonzalez, Imoto, and Beam
Granzier, H., Kellermayer, M., Helmes, M., and Trombitás, K. Titin elasticity and mechanism of passive force development in rat cardiac myocytes probed by thin-filament extraction, 2043
Greaser, M. L. *See* Swartz, Moss, and Greaser
Greathouse, D. V. *See* Girshman, Greathouse, Koeppe, and Andersen
Gregg, R. G. *See* Beurg, Sukhareva, Strube, Powers, Gregg, and Coronado
Grewal, N., Nagpal, S., Chavali, G. B., Majumdar, S. S., Pal, R., and Salunke, D. M. Ligand-induced receptor dimerization may be critical for signal transduction by choriogonadotropin, 1190
Grosberg, A. Y. *See* Pande, Grosberg, and Tanaka
Groschner, K. *See* Höfer, Hohenthanner, Baumgartner, Groschner, Klugbauer, Hofmann, and Romanin
Gross, D. J. *See* Chung, Sciaky, and Gross
Guo, Y. *See* Yang, Guo, Li, and Hui
Gutman, A. *See* Svirskis, Baginskas, Hounsgaard, and Gutman

H

Häberle, W. *See* Ohnesorge, Hörber, Häberle, Czerny, Smith, and Binnig
Hagerman, P. J. *See* Vacano and Hagerman
——— *See* Zacharias and Hagerman
Hall, J. D., Betarbet, S., and Jaramillo, F. Endogenous buffers limit the spread of free calcium in hair cells, 1243
Hamann, J. *See* Richter, Hamann, Kummerow, and Bernhardt
Hammer, D. A. *See* Kuo, Hammer, and Lauffenburger
——— *See* Longo, Waring, and Hammer
Hammermann, M., Steinmaier, C., Merlitz, H., Kapp, U., Waldeck, W., Chirico, G., and Langowski, J. Salt effects on the structure and internal dynamics of superhelical DNAs studied by light scattering and Brownian dynamics, 2674
Hao, Y., Pear, M. R., and Busath, D. D. Molecular dynamics study of free energy profiles for organic cations in gramicidin A channels, 1699
Harrison, N. L. *See* Lavoie, Tingey, Harrison, Pritchett, and Twyman
Harroun, T. A. *See* Heller, He, Ludtke, Harroun, and Huang
Harz, H. *See* Holland, Harz, Uhl, and Hegemann
Hatanaka, M., Kandori, H., and Maeda, A. Localization and orientation of functional water molecules in bacteriorhodopsin as revealed by polarized Fourier transform infrared spectroscopy, 1001
Hatta, I. *See* Takahashi, Ohmae, and Hatta
Hawkins, M. E. *See* Driscoll, Hawkins, Balis, Pfleiderer, and Laws
Hayek, S. *See* Bhat, Zhao, Hayek, Freeman, Takeshima, and Ma
He, H. T. *See* Thimonier, Montixi, Chauvin, He, Rocca-Serra, and Barbet
He, K. *See* Heller, He, Ludtke, Harroun, and Huang
Head-Gordon, T., Sorenson, J. M., Pertsemlidis, A., and Glaeser, R. M. Differences in hydration structure near hydrophobic and hydrophilic amino acids, 2106
Heath, P. J. *See* Delrow, Heath, and Schurr
Hegemann, P. *See* Holland, Harz, Uhl, and Hegemann
Helfrich, W. *See* Klösgen and Helfrich
Heller, W. T., He, K., Ludtke, S. J., Harroun, T. A., and Huang, H. W. Effect of changing the size of lipid headgroup on peptide insertion into membranes, 239
Helmes, M. *See* Granzier, Kellermayer, Helmes, and Trombitás
Henderson, E. R. *See* Schaus and Henderson
Herbst, J. *See* Hessling, Herbst, Rammelsberg, and Gerwert
Hering, S. *See* Degtiar, Aczél, Döring, Timin, Berjukow, Kimball, Mitterdorfer, and Hering
Hermans, J. *See* Vorobjev and Hermans
Herrmann, A. *See* Marx, Lassmann, Wimalasena, Müller, and Herrmann
——— *See* Nüssler, Clague, and Herrmann

Hessling, B., Herbst, J., Rammelsberg, R., and Gerwert, K. Fourier transform infrared double-flash experiments resolve bacteriorhodopsin's M_1 to M_2 transition, 2071
Heyer, C. *See* Kuehner, Heyer, Rämsch, Fornefeld, Blanch, and Prausnitz
Heyn, M. P. *See* Dickopf and Heyn
Highsmith, S. *See* Cohen and Highsmith
——— *See* Eden and Highsmith
Higuchi, H. *See* Kojima, Muto, Higuchi, and Yanagida
Hild, G. *See* Nyitrai, Hild, Belágyi, and Somogyi
Hinssen, H. *See* Khaitlina and Hinssen
——— *See* Linke, Ivemeyer, Labeit, Hinssen, Rüegg, and Gautel
Hirshberg, A. *See* Sharf, Knubovets, Dayan, Hirshberg, Akselrod, and Navon
Hobza, P. *See* Šponer, Gabb, Leszczynski, and Hobza
Hodges, M. W., Cafiso, D. S., Polnaszek, C. F., Lester, C. C., and Bryant, R. G. Water translational motion at the bilayer interface: an NMR relaxation dispersion measurement, 2575
Höfer, G. F., Hohenthanner, K., Baumgartner, W., Groschner, K., Klugbauer, N., Hofmann, F., and Romanin, C. Intracellular Ca^{2+} inactivates L-type Ca^{2+} channels with a Hill coefficient of ~1 and an inhibition constant of ~4 μM by reducing channel's open probability, 1857
Hofmann, F. *See* Höfer, Hohenthanner, Baumgartner, Groschner, Klugbauer, Hofmann, and Romanin
Hohenthanner, K. *See* Höfer, Hohenthanner, Baumgartner, Groschner, Klugbauer, Hofmann, and Romanin
Holland, E. M., Harz, H., Uhl, R., and Hegemann, P. Control of phobic behavioral responses by rhodopsin-induced photocurrents in *Chlamydomonas*, 1395
Holley, M. C. *See* Tolomeo and Holley
Holtzer, A. *See* Holtzer, Lovett, d'Avignon, and Holtzer
Holtzer, M. E., Lovett, E. G., d'Avignon, D. A., and Holtzer, A. Thermal unfolding in a GCN4-like leucine zipper: $^{13}C^{\alpha}$ NMR chemical shifts and local unfolding curves, 1031
Hölzel, R. Electrorotation of single yeast cells at frequencies between 100 Hz and 1.6 GHz, 1103
Honig, B. *See* Ben-Tal, Honig, Miller, and McLaughlin
Hörber, J. K. H. *See* Ohnesorge, Hörber, Häberle, Czerny, Smith, and Binnig
Horn, R. *See* Yang, George, and Horn
Horváth, L. I., Knowles, P. F., Kovachev, P., Findlay, J. B. C., and Marsh, D. A single-residue deletion alters the lipid selectivity of a K^+ channel-associated peptide in the β-conformation: spin label electron spin resonance studies, 2588
Hounsgaard, J. *See* Svirskis, Baginskas, Hounsgaard, and Gutman
Hsieh, C.-H., Sue, S.-C., Lyu, P.-C., and Wu, W.-g. Membrane packing geometry of diphytanoylphosphatidylcholine is highly sensitive to hydration: phospholipid polymorphism induced by molecular rearrangement in the headgroup region, 870
Hua, S. and Inesi, G. Lys515-Lys492 cross-linking by DIDS interferes with substrate utilization by the sarcoplasmic reticulum ATPase, 2149
Huang, C. *See* Wang, Li, Lin, and Huang
Huang, G.-J. *See* Santos-Sacchi, Huang, and Wu
Huang, H. W. *See* Heller, He, Ludtke, Harroun, and Huang
Huang, Y., Wang, X.-B., Becker, F. F., and Gascoyne, P. R. C. Introducing dielectrophoresis as a new force field for field-flow fractionation, 1118
Huertas, M. L., Navarro, S., Lopez Martinez, M. C., and Garcia de la Torre, J. Simulation of the conformation and dynamics of a double-helical model for DNA, 3142
Hui, S. W. *See* Rao, Plant, Silin, Wight, and Hui
——— *See* Yang, Guo, Li, and Hui
Huster, D., Jin, A. J., Arnold, K., and Gawrisch, K. Water permeability of polyunsaturated lipid membranes measured by ^{17}O NMR, 855
Hyatt, C. J. *See* Dickinson, Hyatt, Lehmann, Moore, Reedy, Simcox, Tohtong, Vigoreaux, Yamashita, and Maughan
Hyvönen, M. T., Rantala, T. T., and Ala-Korpela, M. Structure and dynamic properties of diunsaturated 1-palmitoyl-2-linoleoyl-*sn*-glycero-3-phosphatidylcholine lipid bilayer from molecular dynamics simulation, 2907

I

Ichiye, T. *See* Swartz and Ichiye
Imoto, K. *See* Dirksen, Nakai, Gonzalez, Imoto, and Beam
Imredy, J. P. *See* Chen, Leong, Imredy, Bartlett, Zhang, and MacLennan
Inesi, G. *See* Hua and Inesi
——— *See* Schwarz and Inesi
Ipsen, J. H. *See* Gil, Sabra, Ipsen, and Mouritsen
Ishiwata, S., Miki, M., Shin, I., Funatsu, T., Yasuda, K., and dos Remedios, C. G. Interhead distances in myosin attached to F-actin estimated by fluorescence energy transfer spectroscopy, 895
Israelewitz, B., Izrailev, S., and Schulten, K. Binding pathway of retinal to bacterio-opsin: a prediction by molecular dynamics simulations, 2972
Itri, R., Zhang, R., and Caffrey, M. Spatial resolution of the variable-period x-ray standing wave method as applied to model membranes, 1506
Ivemeyer, M. *See* Linke, Ivemeyer, Labeit, Hinssen, Rüegg, and Gautel
Iwasa, K. H. Current noise spectrum and capacitance due to the membrane motor of the outer hair cell: theory, 2965
——— **and Adachi, M.** Force generation in the outer hair cell of the cochlea, 546
Iwasa, K. H. *See* Adachi and Iwasa
Izquierdo-Ridorsa, A. *See* de Juan, Izquierdo-Ridorsa, Tauler, Fonrodona, and Casassas
Izrailev, S. *See* Balsera, Stepaniants, Izrailev, Oono, and Schulten
——— *See* Israelewitz, Izrailev, and Schulten

J

Jack, J. J. B. *See* Wahl, Jack, Larkman, and Stratford
Jackson, M. B. Inversion of Markov processes to determine rate constants from single-channel data, 1382
Jacquemond, V. Indo-1 fluorescence signals elicited by membrane depolarization in enzymatically isolated mouse skeletal muscle fibers, 920
Jaikaran, A. S. I. *See* Woolley, Zunic, Karanicolas, Jaikaran, and Starostin
Jaikaran, D. C. J. *See* Woolley, Biggin, Schultz, Lien, Jaikaran, Breed, Crowhurst, and Sansom
Jalal, F. *See* Chen, Coady, Jalal, Wallendorff, and Lapointe
Janecki, M. *See* Bénitah, Ranjan, Yamagishi, Janecki, Tomaselli, and Marban
——— *See* Yamagishi, Janecki, Marban, and Tomaselli
Janmey, P. A. *See* Flanagan, Cunningham, Chen, Prestwich, Kosik, and Janmey
Jaramillo, F. *See* Hall, Betarbet, and Jaramillo
Jarillo, J. A. *See* Barrio, Capel, Jarillo, Castro, and Revilla
Jentsch, T. J. *See* Ludewig, Pusch, and Jentsch
Jin, A. J. *See* Huster, Jin, Arnold, and Gawrisch
Johnson, M. S. *See* Frankel, Bazylinski, Johnson, and Taylor
Johnsson, M. *See* Edwards, Johnsson, Karlsson, and Silvander
Johnston, B. H. *See* Belotserkovskii and Johnston
Jonas, A. *See* Carlson, Jonas, and Sligar
——— *See* Phillips, Wriggers, Li, Jonas, and Schulten
Jonas, R. E. *See* Plunkett, Jonas, and Braiman

Jørgensen, K. *See* Baekmark, Pedersen, Jørgensen, and Mouritsen
Jue, T. *See* Wang, Kreutzer, Chung, and Jue
Jullien, L. *See* Allemand, Bensimon, Jullien, Bensimon, and Croquette
Junankar, P. R. *See* Laver, Owen, Junankar, Taske, Dulhunty, and Lamb

K

Kachar, B. *See* Frolenkov, Kalinec, Tavartkiladze, and Kachar
Kain, S. R. *See* Patterson, Knobel, Sharif, Kain, and Piston
Kalinec, F. *See* Frolenkov, Kalinec, Tavartkiladze, and Kachar
Kallen, R. G. *See* Li, Tsushima, Kallen, and Backx
——— *See* Wright, Wang, Kallen, and Wang
Kamalov, V. F. *See* Volkov, Svirko, Kamalov, Song, and El-Sayed
Kamo, N. *See* Kikukawa, Araiso, Shimozawa, Mukasa, and Kamo
Kandori, H. *See* Hatanaka, Kandori, and Maeda
Kang, H. *See* Xu, Naraghi, Kang, and Neher
Kapp, U. *See* Hammermann, Steinmaier, Merlitz, Kapp, Waldeck, Chirico, and Langowski
Karanicolas, J. *See* Woolley, Zunic, Karanicolas, Jaikaran, and Starostin
Karlsson, G. *See* Edwards, Johnsson, Karlsson, and Silvander
Katsaras, J. Highly aligned lipid membrane systems in the physiologically relevant "excess water" condition, 2924
Kawahara, M., Arispe, N., Kuroda, Y., and Rojas, E. Alzheimer's disease amyloid β-protein forms Zn^{2+}-sensitive, cation-selective channels across excised membrane patches from hypothalamic neurons, 67
Kawai, M. *See* Wang and Kawai
Kellermayer, M. *See* Granzier, Kellermayer, Helmes, and Trombitás
Keough, K. M. W. *See* Dico, Taneva, Morrow, and Keough
Kephart, T. W. *See* Wagner, Keyes, Kephart, and Edwards
Kerr, I. D. and Sansom, M. S. P. The pore-lining region of *Shaker* voltage-gated potassium channels: comparison of β-barrel and α-helix bundle models, 581
Keyes, E. *See* Wagner, Keyes, Kephart, and Edwards
Khaitlina, S. and Hinssen, H. Conformational changes in actin induced by its interaction with gelsolin, 929
Khodakhah, K. and Armstrong, C. M. Inositol trisphosphate and ryanodine receptors share a common functional Ca^{2+} pool in cerebellar Purkinje neurons, 3349
Kiernan, A. E. M., MacDonald, R. I., MacDonald, R. C., and Axelrod, D. Cytoskeletal protein binding kinetics at planar phospholipid membranes, 1987
Kierzek, A. M., Wolf, W. M., and Zielenkiewicz, P. Simulations of nucleation and early growth stages of protein crystals, 571
Kikukawa, T., Araiso, T., Shimozawa, T., Mukasa, K., and Kamo, N. Restricted motion of photoexcited bacteriorhodopsin in purple membrane containing ethanol, 357
Killian, J. A. *See* Morein, Strandberg, Killian, Persson, Arvidson, Koeppe, and Lindblom
Kimball, D. *See* Degtiar, Aczél, Döring, Timin, Berjukow, Kimball, Mitterdorfer, and Hering
Kindzelskii, A. L., Eszes, M. M., Todd, R. F., III, and Petty, H. R. Proximity oscillations of complement type 4 ($\alpha_x\beta_2$) and urokinase receptors on migrating neutrophils, 1777
Kis-Petik, K. *See* Balog, Kis-Petik, Fidy, Köhler, and Friedrich
Kleene, S. J. High-gain, low-noise amplification in olfactory transduction, 1110
Kleinschmidt, J. H. and Marsh, D. Spin-label electron spin resonance studies on the interactions of lysine peptides with phospholipid membranes, 2546
Kliger, D. S. *See* Szundi, Lewis, and Kliger
Klingler, J. and Friedrich, T. Site-specific interaction of thrombin and inhibitors observed by fluorescence correlation spectroscopy, 2195
Kloczewiak, M. A. *See* Rankin, Addona, Kloczewiak, Bugge, and Miller
Klösgen, B. and Helfrich, W. Cryo-transmission electron microscopy of a superstructure of fluid dioleoylphosphatidylcholine (DOPC) membranes, 3016
Klugbauer, N. *See* Höfer, Hohenthanner, Baumgartner, Groschner, Klugbauer, Hofmann, and Romanin
Knobel, S. M. *See* Patterson, Knobel, Sharif, Kain, and Piston
Knowles, P. F. *See* Horváth, Knowles, Kovachev, Findlay, and Marsh
Knubovets, T. *See* Sharf, Knubovets, Dayan, Hirshberg, Akselrod, and Navon
Koenig, B. W., Strey, H. H., and Gawrisch, K. Membrane lateral compressibility determined by NMR and x-ray diffraction: effect of acyl chain polyunsaturation, 1954
Koeppe, R. E., II *See* Girshman, Greathouse, Koeppe, and Andersen
——— *See* Morein, Strandberg, Killian, Persson, Arvidson, Koeppe, and Lindblom
Köhler, M. *See* Balog, Kis-Petik, Fidy, Köhler, and Friedrich
Kojima, H., Muto, E., Higuchi, H., and Yanagida, T. Mechanics of single kinesin molecules measured by optical trapping nanometry, 2012
Kollman, P. A. *See* Miller and Kollman
Konishi, M. *See* Tashiro and Konishi
——— *See* Tashiro and Konishi
Koppaka, V., Talbot, W. F., Zhai, X., and Lentz, B. R. Roles of factor V_a-heavy and light chains in protein and lipid rearrangements associated with the formation of a bovine factor V_a-membrane complex, 2638
Koppel, D. E. *See* Cowan, Nakhimovsky, Myles, and Koppel
Korchev, Y. E., Bashford, C. L., Milovanovic, M., Vodyanoy, I., and Lab, M. J. Scanning ion conductance microscopy of living cells, 653
Koretsky, A. P. *See* Shonat, Wachman, Niu, Koretsky, and Farkas
Korn, H. *See* Kruk, Korn, and Faber
Korngreen, A., Gold'shtein, V., and Priel, Z. A realistic model of biphasic calcium transients in electrically nonexcitable cells, 659
Korogod, S. M. and Savtchenko, S. L. Glutamatergically induced pattern of Ca^{2+} driving potential as a mechanism of postsynaptic plasticity, 1655
Kosik, K. S. *See* Flanagan, Cunningham, Chen, Prestwich, Kosik, and Janmey
Kosztin, D., Bishop, T. C., and Schulten, K. Binding of the estrogen receptor to DNA: the role of waters, 557
Kotova, E. A. *See* Rolitskaya, Antonenko, and Kotova
Kovachev, P. *See* Horváth, Knowles, Kovachev, Findlay, and Marsh
Kovacs, F. A. and Cross, T. A. Transmembrane four-helix bundle of influenza A M2 protein channel: structural implications from helix tilt and orientation, 2511
Kovács, L. *See* Szentesi, Papp, Szűcs, Kovács, and Csernoch
Kozlov, M. M. *See* Opatowski, Kozlov, and Lichtenberg
——— *See* Opatowski, Lichtenberg, and Kozlov
Kraft, T. *See* Xu, Malinchik, Gilroy, Kraft, Brenner, and Yu
Krauze, K. *See* Makuch, Zasada, Mabuchi, Krauze, Wang, and Dabrowska
Kreutzer, U. *See* Wang, Kreutzer, Chung, and Jue
Krishtalik, L. I. *See* Soriano, Cramer, and Krishtalik
Krueger, M. and Thom, F. Deformability and stability of erythrocytes in high-frequency electric fields down to subzero temperatures, 2653

Kruk, P. J., Korn, H., and Faber, D. S. The effects of geometrical parameters on synaptic transmission: a Monte Carlo simulation study, 2874
Kudelina, I. *See* Feofanov, Sharonov, Fleury, Kudelina, and Nabiev
——— *See* Feofanov, Sharonov, Kudelina, Fleury, and Nabiev
Kuehner, D. E., Heyer, C., Rämsch, C., Fornefeld, U. M., Blanch, H. W., and Prausnitz, J. M. Interactions of lysozyme in concentrated electrolyte solutions from dynamic light-scattering measurements, 3211
Kummerow, D. *See* Richter, Hamann, Kummerow, and Bernhardt
Kuo, S. C., Hammer, D. A., and Lauffenburger, D. A. Simulation of detachment of specifically bound particles from surfaces by shear flow, 517
Kurian, E., Prendergast, F. G., and Small, J. R. Photoacoustic analysis of proteins: volumetric signals and fluorescence quantum yields, 466
Kuroda, Y. *See* Kawahara, Arispe, Kuroda, and Rojas

L

La Mar, G. N. *See* Zhang, Cutruzzolá, Allocatelli, Brunori, and La Mar
Lab, M. J. *See* Korchev, Bashford, Milovanovic, Vodyanoy, and Lab
Labeit, S. *See* Linke, Ivemeyer, Labeit, Hinssen, Rüegg, and Gautel
Lamb, G. D. *See* Laver, Owen, Junankar, Taske, Dulhunty, and Lamb
Lamotte-Brasseur, J. *See* Raquet, Lounnas, Lamotte-Brasseur, Frère, and Wade
Lane, A. N. *See* Bonifacio, Brown, Conn, and Lane
Lange, G. D. *See* Ehrenstein, Galdzicki, and Lange
Langowski, J. *See* Hammermann, Steinmaier, Merlitz, Kapp, Waldeck, Chirico, and Langowski
Lanni, F. *See* Rybak, Lanni, and Murphy
Lanyi, J. K. *See* Renthal, Chung, Escamilla, Brown, and Lanyi
Lapointe, J.-Y. *See* Chen, Coady, Jalal, Wallendorff, and Lapointe
Larkman, A. U. *See* Wahl, Jack, Larkman, and Stratford
Lassmann, G. *See* Marx, Lassmann, Wimalasena, Müller, and Herrmann
Lau, E. Y. and Gerig, J. T. Effects of fluorine substitution on the structure and dynamics of complexes of dihydrofolate reductase (*Escherichia coli*), 1579
Lauffenburger, D. A. *See* Kuo, Hammer, and Lauffenburger
Laver, D. R., Owen, V. J., Junankar, P. R., Taske, N. L., Dulhunty, A. F., and Lamb, G. D. Reduced inhibitory effect of Mg^{2+} on ryanodine receptor-Ca^{2+} release channels in malignant hyperthermia, 1913
Lavoie, A. M., Tingey, J. J., Harrison, N. L., Pritchett, D. B., and Twyman, R. E. Activation and deactivation rates of recombinant $GABA_A$ receptor channels are dependent on α-subunit isoform, 2518
Laws, W. R. *See* Driscoll, Hawkins, Balis, Pfleiderer, and Laws
Le Dain, A. C. *See* Cruickshank, Minchin, Le Dain, and Martinac
LeBeau, A. P., Robson, A. B., McKinnon, A. E., Donald, R. A., and Sneyd, J. Generation of action potentials in a mathematical model of corticotrophs, 1263
Lebrun, M.-C. *See* Dumas, Sperotto, Lebrun, Tocanne, and Mouritsen
Lechner, R. E. *See* Fitter, Lechner, and Dencher
Lecomte, J. T. J. *See* Bhattacharya and Lecomte
——— *See* Bhattacharya, Sukits, MacLaughlin, and Lecomte
Lee, Y. K. *See* Song, Antzutkin, Lee, Shekar, Rupprecht, and Levitt
Leforestier, A. and Livolant, F. Liquid crystalline ordering of nucleosome core particles under macromolecular crowding conditions: evidence for a discotic columnar hexagonal phase, 1771
Lehmann, F.-O. *See* Dickinson, Hyatt, Lehmann, Moore, Reedy, Simcox, Tohtong, Vigoreaux, Yamashita, and Maughan
Lentz, B. R. *See* Koppaka, Talbot, Zhai, and Lentz
Lenz, V. *See* Steinhoff, Radzwill, Thevis, Lenz, Brandenburg, Anston, Dodson, and Wollmer
Leong, P. *See* Chen, Leong, Imredy, Bartlett, Zhang, and MacLennan
Lesk, A. M. *See* Molinari, Esposito, Ragona, Pegna, Niccolai, Brunne, Lesk, and Zetta
Lester, C. C. *See* Hodges, Cafiso, Polnaszek, Lester, and Bryant
Leszczynski, J. *See* Šponer, Gabb, Leszczynski, and Hobza
Levitt, M. H. *See* Song, Antzutkin, Lee, Shekar, Rupprecht, and Levitt
Lewis, A. *See* Rousso, Friedman, Lewis, and Sheves
Lewis, J. W. *See* Szundi, Lewis, and Kliger
Li, L. *See* Perera, Li, Darden, Monroe, and Pedersen
——— *See* Yang, Guo, Li, and Hui
Li, R. A., Tsushima, R. G., Kallen, R. G., and Backx, P. H. Pore residues critical for μ-CTX binding to rat skeletal muscle Na^+ channels revealed by cysteine mutagenesis, 1874
Li, S. *See* Wang, Li, Lin, and Huang
Li, Z. W. *See* Solaro, Ding, Li, and Lingle
Li, Z. *See* Phillips, Wriggers, Li, Jonas, and Schulten
Li, Z.-Z. *See* Van De Merwe, Li, Bronk, and Czégé
Liang, J. and Subramaniam, S. Computation of molecular electrostatics with boundary element methods, 1830
Lichtenberg, D. *See* Opatowski, Kozlov, and Lichtenberg
——— *See* Opatowski, Lichtenberg, and Kozlov
Lien, L. *See* Woolley, Biggin, Schultz, Lien, Jaikaran, Breed, Crowhurst, and Sansom
Lin, H.-n. *See* Wang, Li, Lin, and Huang
Lin, K. *See* Valles, Lin, Denegre, and Mowry
Lin, M. *See* Rinaldi, Lin, Shapiro, and Petersheim
Lindblom, G. *See* Morein, Strandberg, Killian, Persson, Arvidson, Koeppe, and Lindblom
Linderman, J. J. *See* Shea, Omann, and Linderman
Lingle, C. J. *See* Solaro, Ding, Li, and Lingle
Linke, W. A., Ivemeyer, M., Labeit, S., Hinssen, H., Rüegg, J. C., and Gautel, M. Actin-titin interaction in cardiac myofibrils: probing a physiological role, 905
Liu, C., Paprica, A., and Petersen, N. O. Effects of size of macrocyclic polyamides on their rate of diffusion in model membranes, 2580
Liu, G., Schlick, T., Olson, A. J., and Olson, W. K. Configurational transitions in Fourier series-represented DNA supercoils, 1742
Livolant, F. *See* Leforestier and Livolant
Loew, L. M. *See* Schaff, Fink, Slepchenko, Carson, and Loew
Longo, M. L., Waring, A. J., and Hammer, D. A. Interaction of the influenza hemagglutinin fusion peptide with lipid bilayers: area expansion and permeation, 1430
Lopez Martinez, M. C. *See* Huertas, Navarro, Lopez Martinez, and Garcia de la Torre
Lounnas, V. *See* Raquet, Lounnas, Lamotte-Brasseur, Frère, and Wade
Lovett, E. G. *See* Holtzer, Lovett, d'Avignon, and Holtzer
Luby-Phelps, K. *See* Ragsdale, Phelps, and Luby-Phelps
Ludewig, U., Pusch, M., and Jentsch, T. J. Independent gating of single pores in CLC-0 chloride channels, 789
Ludmann, K. *See* Ganea, Gergely, Ludmann, and Váró
Ludtke, S. J. *See* Heller, He, Ludtke, Harroun, and Huang
Lyu, P.-C. *See* Hsieh, Sue, Lyu, and Wu

M

Ma, J. *See* Bhat, Zhao, Hayek, Freeman, Takeshima, and Ma
——— *See* Bhat, Zhao, Takeshima, and Ma
Mabuchi, K. *See* Makuch, Zasada, Mabuchi, Krauze, Wang, and Dabrowska
Macdonald, A. G. Effect of high hydrostatic pressure on the BK channel in bovine chromaffin cells, 1866
MacDonald, R. C. *See* Kiernan, MacDonald, MacDonald, and Axelrod
MacDonald, R. I. *See* Kiernan, MacDonald, MacDonald, and Axelrod
MacKerell, A. D., Jr. *See* Feller, Yin, Pastor, and MacKerell
MacLaughlin, K. L. *See* Bhattacharya, Sukits, MacLaughlin, and Lecomte
MacLennan, D. H. *See* Chen, Leong, Imredy, Bartlett, Zhang, and MacLennan
Macleod, H. A. *See* Salamon, Macleod, and Tollin
Macpherson, J. V., O'Hare, D., Unwin, P. R., and Winlove, C. P. Quantitative spatially resolved measurements of mass transfer through laryngeal cartilage, 2771
Maeda, A. *See* Hatanaka, Kandori, and Maeda
Maget-Dana, R. and Ptak, M. Penetration of the insect defensin A into phospholipid monolayers and formation of defensin A-lipid complexes, 2527
Mahama-Relue, P. A. *See* Chen, Fournier, Varanasi, and Mahama-Relue
Maier, H. Electrorotation of colloidal particles and cells depends on surface charge, 1617
Majumdar, S. S. *See* Grewal, Nagpal, Chavali, Majumdar, Pal, and Salunke
Makuch, R., Zasada, A., Mabuchi, K., Krauze, K., Wang, C.-L. A., and Dabrowska, R. Phosphatidylserine liposomes can be tethered by caldesmon to actin filaments, 1607
Malinchik, S., Xu, S., and Yu, L. C. Temperature-induced structural changes in the myosin thick filament of skinned rabbit psoas muscle, 2304
——— *See* Xu, Malinchik, Gilroy, Kraft, Brenner, and Yu
Marban, E. *See* Bénitah, Ranjan, Yamagishi, Janecki, Tomaselli, and Marban
Marban, E. *See* Yamagishi, Janecki, Marban, and Tomaselli
Marko, J. F. and Siggia, E. D. Driving proteins off DNA using applied tension, 2173
——— *See* Vologodskii and Marko
Maróti, P. and Wraight, C. A. Kinetics of H^+ ion binding by the $P^+Q_{A^-}$ state of bacterial photosynthetic reaction centers: rate limitation within the protein, 367
——— *See* Osváth and Maróti
Marsh, D. Renormalization of the tension and area expansion modulus in fluid membranes, 865
——— *See* Horváth, Knowles, Kovachev, Findlay, and Marsh
——— *See* Kleinschmidt and Marsh
——— *See* Swamy, Marsh, and Ramakrishnan
Marszalek, P. E., Farrell, B., Verdugo, P., and Fernandez, J. M. Kinetics of release of serotonin from isolated secretory granules. I. Amperometric detection of serotonin from electroporated granules, 1160
———, **Farrell, B., Verdugo, P., and Fernandez, J. M.** Kinetics of release of serotonin from isolated secretory granules. II. Ion exchange determines the diffusivity of serotonin, 1169
Martinac, B. *See* Cruickshank, Minchin, Le Dain, and Martinac
Martorana, V., Bulone, D., Biagio, P. L. S., Palma-Vittorelli, M. B., and Palma, M. U. Collective properties of hydration: long range and specificity of hydrophobic interactions, 31
Marx, U., Lassmann, G., Wimalasena, K., Müller, P., and Herrmann, A. Rapid kinetics of insertion and accessibility of spin-labeled phospholipid analogs in lipid membranes: a stopped-flow electron paramagnetic resonance approach, 1645
Matsuzaki, K., Yoneyama, S., and Miyajima, K. Pore formation and translocation of melittin, 831
Maughan, D. W. *See* Dickinson, Hyatt, Lehmann, Moore, Reedy, Simcox, Tohtong, Vigoreaux, Yamashita, and Maughan
May, S. and Ben-Shaul, A. DNA-lipid complexes: stability of honeycomb-like and spaghetti-like structures, 2427
McCammon, J. A. *See* Allison, Potter, and McCammon
McKinnon, A. E. *See* LeBeau, Robson, McKinnon, Donald, and Sneyd
McLaughlin, S. *See* Ben-Tal, Honig, Miller, and McLaughlin
Mehegan, J. P. *See* Cabral-Lilly, Tobacman, Mehegan, and Cohen
Meissner, G. *See* Chen, Xu, Tripathy, Meissner, and Eisenberg
Melia, T. J., Jr., Cowan, C. W., Angleson, J. K., and Wensel, T. G. A comparison of the efficiency of G protein activation by ligand-free and light-activated forms of rhodopsin, 3182
Mendelsohn, R. *See* Gericke, Flach, and Mendelsohn
Menestrina, G. *See* Nordera, Dalla Serra, and Menestrina
Merchant, K. and Rill, R. L. DNA length and concentration dependencies of anisotropic phase transitions of DNA solutions, 3154
Merlitz, H. *See* Hammermann, Steinmaier, Merlitz, Kapp, Waldeck, Chirico, and Langowski
Merz, K. M., Jr. *See* Cheng and Merz
Meyer, O. *See* Viard, Gallay, Vincent, Meyer, Robert, and Paternostre
Meyer, T. *See* Teruel and Meyer
Mi, L.-Z., Wang, H.-W., and Sui, S.-f. Interaction of rabbit C-reactive protein with phospholipid monolayers studied by microfluorescence film balance with an externally applied electric field, 446
Miki, M. *See* Ishiwata, Miki, Shin, Funatsu, Yasuda, and dos Remedios
Miller, C. *See* Ben-Tal, Honig, Miller, and McLaughlin
Miller, J. L. and Kollman, P. A. Observation of an A-DNA to B-DNA transition in a nonhelical nucleic acid hairpin molecule using molecular dynamics, 2702
Miller, K. W. *See* Rankin, Addona, Kloczewiak, Bugge, and Miller
Milovanovic, M. *See* Korchev, Bashford, Milovanovic, Vodyanoy, and Lab
Minchin, R. F. *See* Cruickshank, Minchin, Le Dain, and Martinac
Mitterdorfer, J. *See* Degtiar, Aczél, Döring, Timin, Berjukow, Kimball, Mitterdorfer, and Hering
Miyajima, K. *See* Matsuzaki, Yoneyama, and Miyajima
Mok, K. W. C. and Cullis, P. R. Structural and fusogenic properties of cationic liposomes in the presence of plasmid DNA, 2534
Molinari, H., Esposito, G., Ragona, L., Pegna, M., Niccolai, N., Brunne, R. M., Lesk, A. M., and Zetta, L. Probing protein structure by solvent perturbation of NMR spectra: the surface accessibility of bovine pancreatic trypsin inhibitor, 382
Momsen, M. M. *See* Smaby, Momsen, Brockman, and Brown
Monroe, D. M. *See* Perera, Li, Darden, Monroe, and Pedersen
Montixi, C. *See* Thimonier, Montixi, Chauvin, He, Rocca-Serra, and Barbet
Moore, D. S. *See* Self and Moore
Moore, E. W. *See* Cao, Bansil, Gantz, Moore, Niu, and Afdhal
Moore, J. R. *See* Dickinson, Hyatt, Lehmann, Moore, Reedy, Simcox, Tohtong, Vigoreaux, Yamashita, and Maughan
Moore, P. B. Editorial, 1
Morein, S., Strandberg, E., Killian, J. A., Persson, S., Arvidson, G., Koeppe, R. E., II, and Lindblom, G. Influence of membrane-spanning α-helical peptides on the phase behavior of the dioleoylphosphatidylcholine/water system, 3078
Morrow, M. R. *See* Dico, Taneva, Morrow, and Keough
Moss, F. Stochastic resonance at the molecular level, 2249
Moss, R. L. *See* Swartz, Moss, and Greaser

Mouritsen, O. G. *See* Baekmark, Pedersen, Jørgensen, and Mouritsen
——— *See* Dumas, Sperotto, Lebrun, Tocanne, and Mouritsen
——— *See* Gil, Sabra, Ipsen, and Mouritsen
Mowry, K. L. *See* Valles, Lin, Denegre, and Mowry
Muga, A. *See* Pereira, Goñi, Muga, and Nieva
Mukasa, K. *See* Kikukawa, Araiso, Shimozawa, Mukasa, and Kamo
Mukherjee, S. *See* Chattopadhyay, Mukherjee, Rukmini, Rawat, and Sudha
Müller, D. J. and Engel, A. The height of biomolecules measured with the atomic force microscope depends on electrostatic interactions, 1633
Müller, P. *See* Marx, Lassmann, Wimalasena, Müller, and Herrmann
Murphy, R. F. *See* Rybak, Lanni, and Murphy
Murray, D. *See* Clark, Murray, and Ashley
Muto, E. *See* Kojima, Muto, Higuchi, and Yanagida
Myles, D. G. *See* Cowan, Nakhimovsky, Myles, and Koppel

N

Nabiev, I. *See* Feofanov, Sharonov, Fleury, Kudelina, and Nabiev
——— *See* Feofanov, Sharonov, Kudelina, Fleury, and Nabiev
Nagel, G. *See* Friedrich and Nagel
Nagpal, S. *See* Grewal, Nagpal, Chavali, Majumdar, Pal, and Salunke
Nakai, J. *See* Dirksen, Nakai, Gonzalez, Imoto, and Beam
Nakhimovsky, L. *See* Cowan, Nakhimovsky, Myles, and Koppel
Naraghi, M. *See* Xu, Naraghi, Kang, and Neher
Navangione, A., Rispoli, G., Gabellini, N., and Carafoli, E. Electrophysiological characterization of ionic transport by the retinal exchanger expressed in human embryonic kidney cells, 45
Navarro, S. *See* Huertas, Navarro, Lopez Martinez, and Garcia de la Torre
Navon, G. *See* Sharf, Knubovets, Dayan, Hirshberg, Akselrod, and Navon
Needham, D., Stoicheva, N., and Zhelev, D. V. Exchange of monooleoylphosphatidylcholine as monomer and micelle with membranes containing poly(ethylene glycol)-lipid, 2615
Neher, E. *See* Xu, Naraghi, Kang, and Neher
Niccolai, N. *See* Molinari, Esposito, Ragona, Pegna, Niccolai, Brunne, Lesk, and Zetta
Nieva, J. L. *See* Pereira, Goñi, Muga, and Nieva
Niu, N. *See* Cao, Bansil, Gantz, Moore, Niu, and Afdhal
Niu, W.-h. *See* Shonat, Wachman, Niu, Koretsky, and Farkas
——— *See* Wachman, Niu, and Farkas
Nolte, G. and Curio, G. On the calculation of magnetic fields based on multipole modeling of focal biological current sources, 1253
Nordera, P., Dalla Serra, M., and Menestrina, G. The adsorption of *Pseudomonas aeruginosa* exotoxin A to phospholipid monolayers is controlled by pH and surface potential, 1468
Nüssler, F., Clague, M. J., and Herrmann, A. Meta-stability of the hemifusion intermediate induced by glycosylphosphatidylinositol-anchored influenza hemagglutinin, 2280
Nyitrai, M., Hild, G., Belágyi, J., and Somogyi, B. Spectroscopic study of conformational changes in subdomain 1 of G-actin: influence of divalent cations, 2023

O

Oberg, K. A. *See* Cabiaux, Oberg, Pancoska, Walz, Agre, and Engel
Odde, D. J. Estimation of the diffusion-limited rate of microtubule assembly, 88
Oesterhelt, D. *See* Rink, Riesle, Oesterhelt, Gerwert, and Steinhoff
O'Hare, D. *See* Macpherson, O'Hare, Unwin, and Winlove
Ohmae, H. *See* Takahashi, Ohmae, and Hatta
Ohnesorge, F. M., Hörber, J. K. H., Häberle, W., Czerny, C. P., Smith, D. P. E., and Binnig, G. AFM review study on pox viruses and living cells, 2183
Olson, A. J. *See* Liu, Schlick, Olson, and Olson
Olson, W. K. *See* Liu, Schlick, Olson, and Olson
Ölveczky, B. P., Periasamy, N., and Verkman, A. S. Mapping fluorophore distributions in three dimensions by quantitative multiple angle-total internal reflection fluorescence microscopy, 2836
Omann, G. M. *See* Shea, Omann, and Linderman
Onoue, H. *See* Copello, Barg, Onoue, and Fleischer
Oono, Y. *See* Balsera, Stepaniants, Izrailev, Oono, and Schulten
Opatowski, E., Kozlov, M. M., and Lichtenberg, D. Partitioning of octyl glucoside between octyl glucoside/phosphatidylcholine mixed aggregates and aqueous media as studied by isothermal titration calorimetry, 1448
———, **Lichtenberg, D., and Kozlov, M. M.** The heat of transfer of lipid and surfactant from vesicles into micelles in mixtures of phospholipid and surfactant, 1458
Ornstein, R. L. *See* Arnold and Ornstein
Oster, G. *See* Elston and Oster
Osváth, S. and Maróti, P. Coupling of cytochrome and quinone turnovers in the photocycle of reaction centers from the photosynthetic bacterium *Rhodobacter sphaeroides*, 972
Otokiti, E. O. and Sheardy, R. D. Sequence effects on the relative thermodynamic stabilities of B-Z junction-forming DNA oligomeric duplexes, 3135
Owen, V. J. *See* Laver, Owen, Junankar, Taske, Dulhunty, and Lamb

P

Pal, R. *See* Grewal, Nagpal, Chavali, Majumdar, Pal, and Salunke
Palma, M. U. *See* Martorana, Bulone, Biagio, Palma-Vittorelli, and Palma
Palma-Vittorelli, M. B. *See* Martorana, Bulone, Biagio, Palma-Vittorelli, and Palma
Pan, B., Ban, C., Wahl, M. C., and Sundaralingam, M. Crystal structure of d(GCGCGCG) with 5′-overhang G residues, 1553
Pancoska, P. *See* Cabiaux, Oberg, Pancoska, Walz, Agre, and Engel
Pande, V. S., Grosberg, A. Y., and Tanaka, T. Statistical mechanics of simple models of protein folding and design, 3192
Pantaloni, D. *See* Carlier, Didry, and Pantaloni
Papp, Z. *See* Szentesi, Papp, Szűcs, Kovács, and Csernoch
Paprica, A. *See* Liu, Paprica, and Petersen
Pardo, L. *See* Pastor, Pardo, and Weinstein
Park, P. J. *See* Sung and Park
Pastor, N., Pardo, L., and Weinstein, H. Does TATA matter? A structural exploration of the selectivity determinants in its complexes with TATA box-binding protein, 640
Pastor, R. W. *See* Feller, Yin, Pastor, and MacKerell
Patel, R. *See* Pins, Christiansen, Patel, and Silver
Patel, S. S. *See* Bullen, Patel, and Saggau
Paternostre, M. *See* Viard, Gallay, Vincent, Meyer, Robert, and Paternostre
Patterson, G. H., Knobel, S. M., Sharif, W. D., Kain, S. R., and Piston, D. W. Use of the green fluorescent protein and its mutants in quantitative fluorescence microscopy, 2782
Patyal, B. R., Crepeau, R. H., and Freed, J. H. Lipid-gramicidin interactions using two-dimensional Fourier-transform electron spin resonance, 2201
Pear, M. R. *See* Hao, Pear, and Busath

Pedersen, L. G. *See* Perera, Li, Darden, Monroe, and Pedersen
Pedersen, S. *See* Baekmark, Pedersen, Jørgensen, and Mouritsen
Pegna, M. *See* Molinari, Esposito, Ragona, Pegna, Niccolai, Brunne, Lesk, and Zetta
Pellequer, J.-L. and Chen, S.-w. W. Does conformational free energy distinguish loop conformations in proteins?, 2359
Peňázová, H. and Vorličková, M. Guanine tetraplex formation by short DNA fragments containing runs of guanine and cytosine, 2054
Peracchia, C. *See* Wang and Peracchia
Pereira, F. B., Goñi, F. M., Muga, A., and Nieva, J. L. Permeabilization and fusion of uncharged lipid vesicles induced by the HIV-1 fusion peptide adopting an extended conformation: dose and sequence effects, 1977
Perera, L., Li, L., Darden, T., Monroe, D. M., and Pedersen, L. G. Prediction of solution structures of the Ca^{2+}-bound γ-carboxyglutamic acid domains of protein S and homolog growth arrest specific protein 6: use of the particle mesh Ewald method, 1847
Periasamy, N. *See* Ölveczky, Periasamy, and Verkman
Persson, S. *See* Morein, Strandberg, Killian, Persson, Arvidson, Koeppe, and Lindblom
Pertsemlidis, A. *See* Head-Gordon, Sorenson, Pertsemlidis, and Glaeser
Petersen, N. O. *See* Liu, Paprica, and Petersen
Petersheim, M. *See* Rinaldi, Lin, Shapiro, and Petersheim
Petry, W. *See* Diehl, Doster, Petry, and Schober
Petty, H. R. *See* Kindzelskii, Eszes, Todd, and Petty
Pfleiderer, W. *See* Driscoll, Hawkins, Balis, Pfleiderer, and Laws
Phelps, J. *See* Ragsdale, Phelps, and Luby-Phelps
Phillips, J. C., Wriggers, W., Li, Z., Jonas, A., and Schulten, K. Predicting the structure of apolipoprotein A-I in reconstituted high density lipoprotein disks, 2337
Pins, G. D., Christiansen, D. L., Patel, R., and Silver, F. H. Self-assembly of collagen fibers. Influence of fibrillar alignment and decorin on mechanical properties, 2164
Piston, D. W. *See* Patterson, Knobel, Sharif, Kain, and Piston
Pittman, R. N. *See* Golub, Popel, Zheng, and Pittman
Plant, A. L. *See* Rao, Plant, Silin, Wight, and Hui
Plunkett, S. E., Jonas, R. E., and Braiman, M. S. Vibrational spectra of individual millimeter-size membrane patches using miniature infrared waveguides, 2235
Polnaszek, C. F. *See* Hodges, Cafiso, Polnaszek, Lester, and Bryant
Poon, J., Bailey, M., Winzor, D. J., Davidson, B. E., and Sawyer, W. H. Effects of molecular crowding on the interaction between DNA and the *Escherichia coli* regulatory protein TyrR, 3257
Popel, A. S. *See* Golub, Popel, Zheng, and Pittman
Potter, M. *See* Allison, Potter, and McCammon
Powers, P. A. *See* Beurg, Sukhareva, Strube, Powers, Gregg, and Coronado
Prausnitz, J. M. *See* Kuehner, Heyer, Rämsch, Fornefeld, Blanch, and Prausnitz
Prendergast, F. G. *See* Kurian, Prendergast, and Small
Prestwich, G. D. *See* Flanagan, Cunningham, Chen, Prestwich, Kosik, and Janmey
Priel, Z. *See* Korngreen, Gold'shtein, and Priel
Pritchett, D. B. *See* Lavoie, Tingey, Harrison, Pritchett, and Twyman
Prüger, B. *See* Gimsa, Eppmann, and Prüger
Ptak, M. *See* Maget-Dana and Ptak
Pusch, M. *See* Ludewig, Pusch, and Jentsch

Q

Quigley, E. P. *See* Cukierman, Quigley, and Crumrine

R

Radzwill, N. *See* Steinhoff, Radzwill, Thevis, Lenz, Brandenburg, Anston, Dodson, and Wollmer
Ragona, L. *See* Molinari, Esposito, Ragona, Pegna, Niccolai, Brunne, Lesk, and Zetta
Ragsdale, G. K., Phelps, J., and Luby-Phelps, K. Viscoelastic response of fibroblasts to tension transmitted through adherens junctions, 2798
Ramakrishnan, M. *See* Swamy, Marsh, and Ramakrishnan
Rammelsberg, R. *See* Hessling, Herbst, Rammelsberg, and Gerwert
Rämsch, C. *See* Kuehner, Heyer, Rämsch, Fornefeld, Blanch, and Prausnitz
Rand, R. P. *See* Chen and Rand
——— *See* Reid and Rand
Ranjan, R. *See* Bénitah, Ranjan, Yamagishi, Janecki, Tomaselli, and Marban
Rankin, S. E., Addona, G. H., Kloczewiak, M. A., Bugge, B., and Miller, K. W. The cholesterol dependence of activation and fast desensitization of the nicotinic acetylcholine receptor, 2446
Rantala, T. T. *See* Hyvönen, Rantala, and Ala-Korpela
Rao, N. M., Plant, A. L., Silin, V., Wight, S., and Hui, S. W. Characterization of biomimetic surfaces formed from cell membranes, 3066
Raquet, X., Lounnas, V., Lamotte-Brasseur, J., Frère, J. M., and Wade, R. C. pK_a calculations for class A β-lactamases: methodological and mechanistic implications, 2416
Ravishanker, G. *See* Young, Ravishanker, and Beveridge
Rawat, S. S. *See* Chattopadhyay, Mukherjee, Rukmini, Rawat, and Sudha
Reedy, M. C. *See* Dickinson, Hyatt, Lehmann, Moore, Reedy, Simcox, Tohtong, Vigoreaux, Yamashita, and Maughan
Regehr, W. G. Interplay between sodium and calcium dynamics in granule cell presynaptic terminals, 2476
Reid, C. and Rand, R. P. Fits to osmotic pressure data, 1692
Renthal, R., Chung, Y.-J., Escamilla, R., Brown, L. S., and Lanyi, J. K. Guanidinium restores the chromophore but not rapid proton release in bacteriorhodopsin mutant R82Q, 2711
Retailleau, P., Riès-Kautt, M., and Ducruix, A. No salting-in of lysozyme chloride observed at low ionic strength over a large range of pH, 2156
Revilla, A. *See* Barrio, Capel, Jarillo, Castro, and Revilla
Richmond, J. E., VanDeCarr, D., Featherstone, D. E., George, A. L., Jr., and Ruben, P. C. Defective fast inactivation recovery and deactivation account for sodium channel myotonia in the I1160V mutant, 1896
Richter, S., Hamann, J., Kummerow, D., and Bernhardt, I. The monovalent cation "leak" transport in human erythrocytes: an electroneutral exchange process, 733
Riès-Kautt, M. *See* Retailleau, Riès-Kautt, and Ducruix
Riesle, J. *See* Rink, Riesle, Oesterhelt, Gerwert, and Steinhoff
Rill, R. L. *See* Merchant and Rill
Rinaldi, F., Lin, M., Shapiro, M. J., and Petersheim, M. δ-Opiate DPDPE in magnetically oriented phospholipid micelles: binding and arrangement of aromatic pharmacophores, 3337
Rink, T., Riesle, J., Oesterhelt, D., Gerwert, K., and Steinhoff, H.-J. Spin-labeling studies of the conformational changes in the vicinity of D36, D38, T46, and E161 of bacteriorhodopsin during the photocycle, 983
Rispoli, G. *See* Navangione, Rispoli, Gabellini, and Carafoli
Rivier, N. *See* Dubertret and Rivier
Rizzo, O. *See* Cupane, Bologna, Rizzo, Vitrano, and Cordone
Robert, B. *See* Viard, Gallay, Vincent, Meyer, Robert, and Paternostre
Robinson, J. *See* Bennett, Gibson, and Robinson
Robson, A. B. *See* LeBeau, Robson, McKinnon, Donald, and Sneyd

Rocca-Serra, J. *See* Thimonier, Montixi, Chauvin, He, Rocca-Serra, and Barbet
Roitberg, A. E. A molecular dynamics study of Fe_2S_2 putidaredoxin: multiple conformations of the C-terminal region, 2138
Rojas, E. *See* Kawahara, Arispe, Kuroda, and Rojas
Rolitskaya, T. I., Antonenko, Y. N., and Kotova, E. A. Effect of dipole potential of a bilayer lipid membrane on the gramicidin channel dissociation kinetics, 850
Romanin, C. *See* Höfer, Hohenthanner, Baumgartner, Groschner, Klugbauer, Hofmann, and Romanin
Rousso, I., Friedman, N., Lewis, A., and Sheves, M. Evidence for a controlling role of water in producing the native bacteriorhodopsin structure, 2081
Roux, B. Influence of the membrane potential on the free energy of an intrinsic protein, 2980
——— *See* Belohorcová, Davis, Woolf, and Roux
Ruben, P. C. *See* Richmond, VanDeCarr, Featherstone, George, and Ruben
Rüegg, J. C. *See* Linke, Ivemeyer, Labeit, Hinssen, Rüegg, and Gautel
Rukmini, R. *See* Chattopadhyay, Mukherjee, Rukmini, Rawat, and Sudha
Ruonala, M. *See* Cheng, Ruonala, Virtanen, and Somerharju
Rupprecht, A. *See* Song, Antzutkin, Lee, Shekar, Rupprecht, and Levitt
Rybak, S. L., Lanni, F., and Murphy, R. F. Theoretical considerations on the role of membrane potential in the regulation of endosomal pH, 674

S

Sabra, M. C. *See* Gil, Sabra, Ipsen, and Mouritsen
Sackmann, E. *See* Albersdörfer, Feder, and Sackmann
Saggau, P. *See* Bullen, Patel, and Saggau
Saks, V. A. *See* Aliev and Saks
Salamon, Z., Macleod, H. A., and Tollin, G. Coupled plasmon-waveguide resonators: a new spectroscopic tool for probing proteolipid film structure and properties, 2791
Salkoff, L. *See* Schreiber and Salkoff
Salunke, D. M. *See* Grewal, Nagpal, Chavali, Majumdar, Pal, and Salunke
Sandblom, J. *See* Galvanovskis and Sandblom
Sansom, M. S. P., Smith, G. R., Adcock, C., and Biggin, P. C. The dielectric properties of water within model transbilayer pores, 2404
——— *See* Kerr and Sansom
——— *See* Smith and Sansom
——— *See* Woolley, Biggin, Schultz, Lien, Jaikaran, Breed, Crowhurst, and Sansom
Santos-Sacchi, J., Huang, G.-J., and Wu, M. Mapping the distribution of outer hair cell voltage-dependent conductances by electrical amputation, 1424
Saulis, G. Pore disappearance in a cell after electroporation: theoretical simulation and comparison with experiments, 1299
Savikhin, S., Buck, D. R., and Struve, W. S. Pump-probe anisotropies of Fenna-Matthews-Olson protein trimers from *Chlorobium tepidum*: a diagnostic for exciton localization?, 2090
Savtchenko, S. L. *See* Korogod and Savtchenko
Sawyer, W. H. *See* Poon, Bailey, Winzor, Davidson, and Sawyer
Schaff, J., Fink, C. C., Slepchenko, B., Carson, J. H., and Loew, L. M. A general computational framework for modeling cellular structure and function, 1135
Schaller, K., David, R., and Uhl, R. How *Chlamydomonas* keeps track of the light once it has reached the right phototactic orientation, 1562
——— **and Uhl, R.** A microspectrophotometric study of the shielding properties of eyespot and cell body in *Chlamydomonas*, 1573
Schaus, S. S. and Henderson, E. R. Cell viability and probe-cell membrane interactions of XR1 glial cells imaged by atomic force microscopy, 1205
Schellman, J. A. Temperature, stability, and the hydrophobic interaction, 2960
Scheufler, K. *See* Wussling, Scheufler, Schmerling, and Drygalla
Schindler, H. *See* Schütz, Schindler, and Schmidt
Schlick, T. *See* Liu, Schlick, Olson, and Olson
Schmerling, S. *See* Wussling, Scheufler, Schmerling, and Drygalla
Schmidt, T. *See* Schütz, Schindler, and Schmidt
Schnur, J. M. *See* Selinger and Schnur
Schober, H. *See* Diehl, Doster, Petry, and Schober
Schreiber, M. and Salkoff, L. A novel calcium-sensing domain in the BK channel, 1355
Schulte, A. *See* Galkin, Buchter, Tabirian, and Schulte
Schulten, K. *See* Balsera, Stepaniants, Izrailev, Oono, and Schulten
——— *See* Isralewitz, Izrailev, and Schulten
——— *See* Kosztin, Bishop, and Schulten
——— *See* Phillips, Wriggers, Li, Jonas, and Schulten
——— *See* Wriggers and Schulten
Schultz, A. *See* Woolley, Biggin, Schultz, Lien, Jaikaran, Breed, Crowhurst, and Sansom
Schurr, J. M. *See* Delrow, Heath, and Schurr
Schütz, G. J., Schindler, H., and Schmidt, T. Single molecule microscopy on model membranes reveals anomalous diffusion, 1073
Schwarz, F. P. and Inesi, G. Entropic drive in the sarcoplasmic reticulum ATPase interaction with Mg^{2+} and Pi, 2179
Sciaky, N. *See* Chung, Sciaky, and Gross
Seelig, J. *See* Wenk and Seelig
Self, B. D. and Moore, D. S. Nucleic acid vibrational circular dichroism, absorption, and linear dichroism spectra. I. A DeVoe theory approach, 339
Selinger, J. V. and Schnur, J. M. Cooperative chiral order in the B-Z transition in random sequences of DNA, 966
Shannon, T. R. and Bers, D. M. Assessment of intra-SR free [Ca] and buffering in rat heart, 1524
Shapiro, M. J. *See* Rinaldi, Lin, Shapiro, and Petersheim
Sharf, Y., Knubovets, T., Dayan, D., Hirshberg, A., Akselrod, S., and Navon, G. The source of NMR-detected motional anisotropy of water in blood vessel walls, 1198
Sharif, W. D. *See* Patterson, Knobel, Sharif, Kain, and Piston
Sharonov, S. *See* Feofanov, Sharonov, Fleury, Kudelina, and Nabiev
——— *See* Feofanov, Sharonov, Kudelina, Fleury, and Nabiev
She, M., Dong, W.-J., Umeda, P. K., and Cheung, H. C. Time-resolved fluorescence study of the single tryptophans of engineered skeletal muscle troponin C, 1042
Shea, L. D., Omann, G. M., and Linderman, J. J. Calculation of diffusion-limited kinetics for the reactions in collision coupling and receptor cross-linking, 2949
Sheardy, R. D. *See* Otokiti and Sheardy
Shekar, S. C. *See* Song, Antzutkin, Lee, Shekar, Rupprecht, and Levitt
Shen, L., Bassolino, D., and Stouch, T. Transmembrane helix structure, dynamics, and interactions: multi-nanosecond molecular dynamics simulations, 3
Sheves, M. *See* Rousso, Friedman, Lewis, and Sheves
Shick, K. A. *See* Xavier, Shick, Smith-Gill, and Willson
Shimozawa, T. *See* Kikukawa, Araiso, Shimozawa, Mukasa, and Kamo
Shin, I. *See* Ishiwata, Miki, Shin, Funatsu, Yasuda, and dos Remedios

Shirakawa, I. *See* Chaen, Shirakawa, Bagshaw, and Sugi
Shonat, R. D., Wachman, E. S., Niu, W.-h., Koretsky, A. P., and Farkas, D. L. Near simultaneous hemoglobin saturation and oxygen tension maps in mouse brain using an AOTF microscope, 1223
Siegel, D. P. and Epand, R. M. The mechanism of lamellar-to-inverted hexagonal phase transitions in phosphatidylethanolamine: implications for membrane fusion mechanisms, 3089
Siggia, E. D. *See* Marko and Siggia
Silin, V. *See* Rao, Plant, Silin, Wight, and Hui
Silvander, M. *See* Edwards, Johnsson, Karlsson, and Silvander
Silver, F. H. *See* Pins, Christiansen, Patel, and Silver
Simcox, A. *See* Dickinson, Hyatt, Lehmann, Moore, Reedy, Simcox, Tohtong, Vigoreaux, Yamashita, and Maughan
Sine, S. M. *See* Tsigelny, Sugiyama, Sine, and Taylor
Sintes, T. and Baumgärtner, A. Protein attraction in membranes induced by lipid fluctuations, 2251
Sklenar, H. *See* Zacharias and Sklenar
Slepchenko, B. *See* Schaff, Fink, Slepchenko, Carson, and Loew
Sligar, S. G. *See* Carlson, Jonas, and Sligar
Smaby, J. M., Momsen, M. M., Brockman, H. L., and Brown, R. E. Phosphatidylcholine acyl unsaturation modulates the decrease in interfacial elasticity induced by cholesterol, 1492
Small, J. R. *See* Kurian, Prendergast, and Small
Smith, D. P. E. *See* Ohnesorge, Hörber, Häberle, Czerny, Smith, and Binnig
Smith, G. R. and Sansom, M. S. P. Molecular dynamics study of water and Na^+ ions in the models of the pore region of the nicotinic acetylcholine receptor, 1364
——— *See* Sansom, Smith, Adcock, and Biggin
Smith, M. R. and Goldin, A. L. Interaction between the sodium channel inactivation linker and domain III S4-S5, 1885
Smith-Gill, S. J. *See* Xavier, Shick, Smith-Gill, and Willson
Sneyd, J. *See* LeBeau, Robson, McKinnon, Donald, and Sneyd
Sobie, E. A., Susil, R. C., and Tung, L. A generalized activating function for predicting virtual electrodes in cardiac tissue, 1410
Sobieszek, A. *See* Filenko, Danilova, and Sobieszek
Soeller, C. and Cannell, M. B. Numerical simulation of local calcium movements during L-type calcium channel gating in the cardiac diad, 97
——— *See* Cannell and Soeller
Solaro, C. R., Ding, J. P., Li, Z. W., and Lingle, C. J. The cytosolic inactivation domains of BK_i channels in rat chromaffin cells do not behave like simple, open-channel blockers, 819
Somerharju, P. *See* Cheng, Ruonala, Virtanen, and Somerharju
Somogyi, B. *See* Nyitrai, Hild, Belágyi, and Somogyi
Song, L. *See* Volkov, Svirko, Kamalov, Song, and El-Sayed
——— *See* Zhang, Song, Dong, and El-Sayed
Song, Z., Antzutkin, O. N., Lee, Y. K., Shekar, S. C., Rupprecht, A., and Levitt, M. H. Conformational transitions of the phosphodiester backbone in native DNA: two-dimensional magic-angle-spinning ^{31}P-NMR of DNA fibers, 1539
Sorenson, J. M. *See* Head-Gordon, Sorenson, Pertsemlidis, and Glaeser
Soriano, G. M., Cramer, W. A., and Krishtalik, L. I. Electrostatic effects on electron-transfer kinetics in the cytochrome *f*-plastocyanin complex, 3265
Sperotto, M. M. *See* Dumas, Sperotto, Lebrun, Tocanne, and Mouritsen
Šponer, J., Gabb, H. A., Leszczynski, J., and Hobza, P. Base-base and deoxyribose-base stacking interactions in B-DNA and Z-DNA: a quantum-chemical study, 76
Spudich, J. L. *See* Zhang and Spudich
Stark, G. *See* Bihler and Stark
Starostin, A. V. *See* Woolley, Zunic, Karanicolas, Jaikaran, and Starostin
Steinhoff, H.-J., Radzwill, N., Thevis, W., Lenz, V., Brandenburg, D., Anston, A., Dodson, G., and Wollmer, A. Determination of interspin distances between spin labels attached to insulin: comparison of electron paramagnetic resonance data with the x-ray structure, 3287
——— *See* Rink, Riesle, Oesterhelt, Gerwert, and Steinhoff
Steinmaier, C. *See* Hammermann, Steinmaier, Merlitz, Kapp, Waldeck, Chirico, and Langowski
Stepaniants, S. *See* Balsera, Stepaniants, Izrailev, Oono, and Schulten
Stoicheva, N. *See* Needham, Stoicheva, and Zhelev
Stouch, T. *See* Shen, Bassolino, and Stouch
Strandberg, E. *See* Morein, Strandberg, Killian, Persson, Arvidson, Koeppe, and Lindblom
Stratford, K. J. *See* Wahl, Jack, Larkman, and Stratford
Strey, H. H. *See* Koenig, Strey, and Gawrisch
Strube, C. *See* Beurg, Sukhareva, Strube, Powers, Gregg, and Coronado
Struve, W. S. *See* Savikhin, Buck, and Struve
Subirana, J. A. and Faria, T. Influence of sequence on the conformation of the B-DNA helix, 333
Subramaniam, S. *See* Liang and Subramaniam
Sudha, S. *See* Chattopadhyay, Mukherjee, Rukmini, Rawat, and Sudha
Sue, S.-C. *See* Hsieh, Sue, Lyu, and Wu
Sugi, H. *See* Chaen, Shirakawa, Bagshaw, and Sugi
Sugiyama, N. *See* Tsigelny, Sugiyama, Sine, and Taylor
Sui, S.-f. *See* Mi, Wang, and Sui
Sukhareva, M. *See* Beurg, Sukhareva, Strube, Powers, Gregg, and Coronado
Sukits, S. F. *See* Bhattacharya, Sukits, MacLaughlin, and Lecomte
Sundaralingam, M. *See* Pan, Ban, Wahl, and Sundaralingam
Sung, W. and Park, P. J. Dynamics of pore growth in membranes and membrane stability, 1797
Susil, R. C. *See* Sobie, Susil, and Tung
Svirko, Y. P. *See* Volkov, Svirko, Kamalov, Song, and El-Sayed
Svirskis, G., Baginskas, A., Hounsgaard, J., and Gutman, A. Electrotonic measurements by electric field-induced polarization in neurons: theory and experimental estimation, 3004
Swamy, M. J., Marsh, D., and Ramakrishnan, M. Differential scanning calorimetry of chain-melting phase transitions of *N*-acylphosphatidylethanolamines, 2556
Swartz, D. R., Moss, R. L., and Greaser, M. L. Characteristics of tropinin C binding to the myofibrillar thin filament: extraction of tropinin C is not random along the length of the thin filament, 293
Swartz, P. D. and Ichiye, T. Protein contributions to redox potentials of homologous rubredoxins: an energy minimization study, 2733
Szentesi, P., Papp, Z., Szűcs, G., Kovács, L., and Csernoch, L. Kinetics of contractile activation in voltage clamped frog skeletal muscle fibers, 1999
Szűcs, G. *See* Szentesi, Papp, Szűcs, Kovács, and Csernoch
Szundi, I., Lewis, J. W., and Kliger, D. S. Deriving reaction mechanisms from kinetic spectroscopy: application to late rhodopsin intermediates, 688

T

Tabirian, A. *See* Galkin, Buchter, Tabirian, and Schulte
Takahashi, H., Ohmae, H., and Hatta, I. Trehalose-induced destabilization of interdigitated gel phase in dihexadecylphosphatidylcholine, 3030
Takeshima, H. *See* Bhat, Zhao, Hayek, Freeman, Takeshima, and Ma
——— *See* Bhat, Zhao, Takeshima, and Ma

Talbot, W. F. *See* Koppaka, Talbot, Zhai, and Lentz
Tanaka, T. *See* Pande, Grosberg, and Tanaka
Tandon, P. and Diamond, S. L. Hydrodynamic effects and receptor interactions of platelets and their aggregates in linear shear flow, 2819
Taneva, S. *See* Dico, Taneva, Morrow, and Keough
Tashiro, M. and Konishi, M. Basal intracellular free Mg^{2+} concentration in smooth muscle cells of guinea pig tenia cecum: intracellular calibration of the fluorescent indicator furaptra, 3358
——— **and Konishi, M.** Na^+ gradient-dependent Mg^{2+} transport in smooth muscle cells of guinea pig tenia cecum, 3371
Taske, N. L. *See* Laver, Owen, Junankar, Taske, Dulhunty, and Lamb
Tauler, R. *See* de Juan, Izquierdo-Ridorsa, Tauler, Fonrodona, and Casassas
Tavartkiladze, G. A. *See* Frolenkov, Kalinec, Tavartkiladze, and Kachar
Tavernelli, I. *See* Di Iorio, Tavernelli, and Yu
Taylor, B. L. *See* Frankel, Bazylinski, Johnson, and Taylor
Taylor, P. *See* Tsigelny, Sugiyama, Sine, and Taylor
Teissié, J. *See* Gabriel and Teissié
Teruel, M. N. and Meyer, T. Electroporation-induced formation of individual calcium entry sites in the cell body and processes of adherent cells, 1785
Thevis, W. *See* Steinhoff, Radzwill, Thevis, Lenz, Brandenburg, Anston, Dodson, and Wollmer
Thimonier, J., Montixi, C., Chauvin, J.-P., He, H. T., Rocca-Serra, J., and Barbet, J. Thy-1 immunolabeled thymocyte microdomains studied with the atomic force microscope and the electron microscope, 1627
Thom, F. *See* Krueger and Thom
Timin, E. N. *See* Degtiar, Aczél, Döring, Timin, Berjukow, Kimball, Mitterdorfer, and Hering
Tingey, J. J. *See* Lavoie, Tingey, Harrison, Pritchett, and Twyman
Tobacman, L. S. *See* Cabral-Lilly, Tobacman, Mehegan, and Cohen
Tocanne, J.-F. *See* Dumas, Sperotto, Lebrun, Tocanne, and Mouritsen
Todd, R. F., III *See* Kindzelskii, Eszes, Todd, and Petty
Tohtong, R. *See* Dickinson, Hyatt, Lehmann, Moore, Reedy, Simcox, Tohtong, Vigoreaux, Yamashita, and Maughan
Tollin, G. *See* Salamon, Macleod, and Tollin
Tolomeo, J. A. and Holley, M. C. Mechanics of microtubule bundles in pillar cells from the inner ear, 2241
Tomaselli, G. F. *See* Bénitah, Ranjan, Yamagishi, Janecki, Tomaselli, and Marban
——— *See* Yamagishi, Janecki, Marban, and Tomaselli
Tripathy, A. *See* Chen, Xu, Tripathy, Meissner, and Eisenberg
Trombitás, K. *See* Granzier, Kellermayer, Helmes, and Trombitás
Tsigelny, I., Sugiyama, N., Sine, S. M., and Taylor, P. A model of the nicotinic receptor extracellular domain based on sequence identity and residue location, 52
Tsushima, R. G. *See* Li, Tsushima, Kallen, and Backx
Tung, L. *See* Sobie, Susil, and Tung
Twyman, R. E. *See* Lavoie, Tingey, Harrison, Pritchett, and Twyman

U

Uhl, R. *See* Holland, Harz, Uhl, and Hegemann
——— *See* Schaller, David, and Uhl
——— *See* Schaller and Uhl
Umeda, P. K. *See* She, Dong, Umeda, and Cheung
Unwin, P. R. *See* Macpherson, O'Hare, Unwin, and Winlove

V

Vacano, E. and Hagerman, P. J. Analysis of birefringence decay profiles for nucleic acid helices possessing bends: the τ-ratio approach, 306
Vacher, M. *See* Arrio-Dupont, Foucault, Vacher, Douhou, and Cribier
Valles, J. M., Jr., Lin, K., Denegre, J. M., and Mowry, K. L. Stable magnetic field gradient levitation of *Xenopus laevis*: toward low-gravity simulation, 1130
van Aalten, D. M. F., Conn, D. A., de Groot, B. L., Berendsen, H. J. C., Findlay, J. B. C., and Amadei, A. Protein dynamics derived from clusters of crystal structures, 2891
Van De Merwe, W. P., Li, Z.-Z., Bronk, B. V., and Czégé, J. Polarized light scattering for rapid observation of bacterial size changes, 500
VanDeCarr, D. *See* Richmond, VanDeCarr, Featherstone, George, and Ruben
Varanasi, S. *See* Chen, Fournier, Varanasi, and Mahama-Relue
Váró, G. *See* Ganea, Gergely, Ludmann, and Váró
Verdugo, P. *See* Marszalek, Farrell, Verdugo, and Fernandez
——— *See* Marszalek, Farrell, Verdugo, and Fernandez
Verkman, A. S. *See* Ölveczky, Periasamy, and Verkman
Viard, M., Gallay, J., Vincent, M., Meyer, O., Robert, B., and Paternostre, M. Laurdan solvatochromism: solvent dielectric relaxation and intramolecular excited-state reaction, 2221
Vigoreaux, J. O. *See* Dickinson, Hyatt, Lehmann, Moore, Reedy, Simcox, Tohtong, Vigoreaux, Yamashita, and Maughan
Vincent, M. *See* Viard, Gallay, Vincent, Meyer, Robert, and Paternostre
Virtanen, J. *See* Cheng, Ruonala, Virtanen, and Somerharju
Vitrano, E. *See* Cupane, Bologna, Rizzo, Vitrano, and Cordone
Vodyanoy, I. *See* Bezrukov and Vodyanoy
——— *See* Korchev, Bashford, Milovanovic, Vodyanoy, and Lab
Vogel, H. *See* Boncheva and Vogel
Volkov, V., Svirko, Y. P., Kamalov, V. F., Song, L., and El-Sayed, M. A. Optical rotation of the second harmonic radiation from retinal in bacteriorhodopsin monomers in Langmuir-Blodgett film: evidence for nonplanar retinal structure, 3164
Vologodskii, A. V. and Marko, J. F. Extension of torsionally stressed DNA by external force, 123
Vorličková, M. *See* Peňázová and Vorličková
Vorobjev, Y. N. and Hermans, J. SIMS: computation of a smooth invariant molecular surface, 722

W

Wachman, E. S., Niu, W.-h., and Farkas, D. L. AOTF microscope for imaging with increased speed and spectral versatility, 1215
——— *See* Shonat, Wachman, Niu, Koretsky, and Farkas
Wade, R. C. *See* Raquet, Lounnas, Lamotte-Brasseur, Frère, and Wade
Wagner, K., Keyes, E., Kephart, T. W., and Edwards, G. Analytical Debye-Huckel model for electrostatic potentials around dissolved DNA, 21
Wahl, L. M., Jack, J. J. B., Larkman, A. U., and Stratford, K. J. The effects of synaptic noise on measurements of evoked excitatory postsynaptic response amplitudes, 205
Wahl, M. C. *See* Pan, Ban, Wahl, and Sundaralingam
Wajnberg, E. *See* Flores, Wajnberg, and Bemski
Waldeck, W. *See* Hammermann, Steinmaier, Merlitz, Kapp, Waldeck, Chirico, and Langowski
Wallendorff, B. *See* Chen, Coady, Jalal, Wallendorff, and Lapointe
Walz, T. *See* Cabiaux, Oberg, Pancoska, Walz, Agre, and Engel
Wang, C.-L. A. *See* Makuch, Zasada, Mabuchi, Krauze, Wang, and Dabrowska

Wang, D., Kreutzer, U., Chung, Y., and Jue, T. Myoglobin and hemoglobin rotational diffusion in the cell, 2764
Wang, G. K. *See* Wright, Wang, Kallen, and Wang
Wang, G. and Kawai, M. Force generation and phosphate release steps in skinned rabbit soleus slow-twitch muscle fibers, 878
———, **Li, S., Lin, H.-n., and Huang, C.** Influence of *cis* double bonds in the *sn*-2 acyl chain of phosphatidylethanolamine on the gel-to-liquid crystalline phase transition, 283
Wang, H.-W. *See* Mi, Wang, and Sui
Wang, S.-Y. *See* Wright, Wang, Kallen, and Wang
Wang, X. G. and Peracchia, C. Positive charges of the initial C-terminus domain of Cx32 inhibit gap junction gating sensitivity to CO_2, 798
Wang, X.-B. *See* Huang, Wang, Becker, and Gascoyne
Waring, A. J. *See* Longo, Waring, and Hammer
Weinstein, H. *See* Pastor, Pardo, and Weinstein
Wenk, M. R. and Seelig, J. Interaction of octyl-β-thioglucopyranoside with lipid membranes, 2565
Wensel, T. G. *See* Melia, Cowan, Angleson, and Wensel
Wight, S. *See* Rao, Plant, Silin, Wight, and Hui
Wikswo, J. P., Jr. *See* Wu and Wikswo
Willson, R. C. *See* Xavier, Shick, Smith-Gill, and Willson
Wimalasena, K. *See* Marx, Lassmann, Wimalasena, Müller, and Herrmann
Winlove, C. P. *See* Macpherson, O'Hare, Unwin, and Winlove
Winzor, D. J. *See* Poon, Bailey, Winzor, Davidson, and Sawyer
Wolf, W. M. *See* Kierzek, Wolf, and Zielenkiewicz
Wollmer, A. *See* Steinhoff, Radzwill, Thevis, Lenz, Brandenburg, Anston, Dodson, and Wollmer
Woolf, T. B. Molecular dynamics of individual α-helices of bacteriorhodopsin in dimyristoyl phophatidylcholine. I. Structure and dynamics, 2376
——— *See* Belohorcová, Davis, Woolf, and Roux
Woolley, G. A., Biggin, P. C., Schultz, A., Lien, L., Jaikaran, D. C. J., Breed, J., Crowhurst, K., and Sansom, M. S. P. Intrinsic rectification of ion flux in alamethicin channels: studies with an alamethicin dimer, 770
———, **Zunic, V., Karanicolas, J., Jaikaran, A. S. I., and Starostin, A. V.** Voltage-dependent behavior of a "ball and chain" gramicidin channel, 2465
Wraight, C. A. *See* Maróti and Wraight
Wriggers, W. and Schulten, K. Stability and dynamics of G-actin: back-door water diffusion and behavior of a subdomain 3/4 loop, 624
——— *See* Phillips, Wriggers, Li, Jonas, and Schulten
Wright, S. N., Wang, S.-Y., Kallen, R. G., and Wang, G. K. Differences in steady-state inactivation between Na channel isoforms affect local anesthetic binding affinity, 779
Wu, J. and Wikswo, J. P., Jr. Effects of bath resistance on action potentials in the squid giant axon: myocardial implications, 2347
Wu, M. *See* Santos-Sacchi, Huang, and Wu
Wu, W.-g. *See* Hsieh, Sue, Lyu, and Wu
Wussling, M. H. P., Scheufler, K., Schmerling, S., and Drygalla, V. Velocity-curvature relationship of colliding spherical calcium waves in rat cardiac myocytes, 1232

X

Xavier, K. A., Shick, K. A., Smith-Gill, S. J., and Willson, R. C. Involvement of water molecules in the association of monoclonal antibody HyHEL-5 with bobwhite quail lysozyme, 2116
Xu, F. *See* Cotten, Xu, and Cross
Xu, L. *See* Chen, Xu, Tripathy, Meissner, and Eisenberg
Xu, S., Malinchik, S., Gilroy. D., Kraft, T., Brenner, B., and Yu, L. C. X-ray diffraction studies of cross-bridges weakly bound to actin in relaxed skinned fibers of rabbit psoas muscle, 2292
——— *See* Malinchik, Xu, and Yu
Xu, T., Naraghi, M., Kang, H., and Neher, E. Kinetic studies of Ca^{2+} binding and Ca^{2+} clearance in the cytosol of adrenal chromaffin cells, 532

Y

Yager, P. *See* Carlson, Gelb, and Yager
Yamagishi, T., Janecki, M., Marban, E., and Tomaselli, G. F. Topology of the P segments in the sodium channel pore revealed by cysteine mutagenesis, 195
——— *See* Bénitah, Ranjan, Yamagishi, Janecki, Tomaselli, and Marban
Yamashita, H. *See* Dickinson, Hyatt, Lehmann, Moore, Reedy, Simcox, Tohtong, Vigoreaux, Yamashita, and Maughan
Yanagida, T. *See* Kojima, Muto, Higuchi, and Yanagida
Yang, N., George, A. L., Jr., and Horn, R. Probing the outer vestibule of a sodium channel voltage sensor, 2260
Yang, Q. L., Guo, Y., Li, L., and Hui, S. W. Effects of lipid headgroup and packing stress on poly(ethylene glycol)-induced phospholipid vesicle aggregation and fusion, 277
Yasuda, K. *See* Ishiwata, Miki, Shin, Funatsu, Yasuda, and dos Remedios
Yin, D. *See* Feller, Yin, Pastor, and MacKerell
Yoneyama, S. *See* Matsuzaki, Yoneyama, and Miyajima
You, H. and Yu, L. Investigation of the image contrast of tapping-mode atomic force microscopy using protein-modified cantilever tips, 3299
Young, M. A., Ravishanker, G., and Beveridge, D. L. A 5-nanosecond molecular dynamics trajectory for B-DNA: analysis of structure, motions, and solvation, 2313
Yu, L. C. *See* Malinchik, Xu, and Yu
——— *See* Xu, Malinchik, Gilroy, Kraft, Brenner, and Yu
Yu, L. *See* You and Yu
Yu, W. *See* Di Iorio, Tavernelli, and Yu

Z

Zacharias, M. and Hagerman, P. J. Influence of static and dynamic bends on the birefringence decay profile of RNA helices: Brownian dynamics simulations, 318
——— **and Sklenar, H.** Analysis of the stability of looped-out and stacked-in conformations of an adenine bulge in DNA using a continuum model for solvent and ions, 2990
Zasada, A. *See* Makuch, Zasada, Mabuchi, Krauze, Wang, and Dabrowska
Zetta, L. *See* Molinari, Esposito, Ragona, Pegna, Niccolai, Brunne, Lesk, and Zetta
Zhabotinsky, A. M. *See* Bugrim, Zhabotinsky, and Epstein
Zhai, X. *See* Koppaka, Talbot, Zhai, and Lentz
Zhang, K., Song, L., Dong, J., and El-Sayed, M. A. Studies of cation binding in $ZnCl_2$-regenerated bacteriorhodopsin by x-ray absorption fine structures: effects of removing water molecules and adding Cl^- ions, 2097
Zhang, L. *See* Chen, Leong, Imredy, Bartlett, Zhang, and MacLennan
Zhang, R. *See* Itri, Zhang, and Caffrey
Zhang, W., Cutruzzolá, F., Allocatelli, C. T., Brunori, M., and La Mar, G. N. A myoglobin mutant designed to mimic the oxygen-avid *Ascaris suum* hemoglobin: elucidation of the distal hydrogen bonding network by solution NMR, 1019
Zhang, X.-N. and Spudich, J. L. His^{166} is critical for active-site proton transfer and phototaxis signaling by sensory rhodopsin I, 1518
Zhao, J. *See* Bhat, Zhao, Hayek, Freeman, Takeshima, and Ma
——— *See* Bhat, Zhao, Takeshima, and Ma
Zhelev, D. V. *See* Needham, Stoicheva, and Zhelev

Zheng, L. *See* Golub, Popel, Zheng, and Pittman
Zhou, H.-X. Enhancement of protein-protein association rate by interaction potential: accuracy of prediction based on local Boltzmann factor, 2441
Zidovetzki, R. *See* Goldberg and Zidovetzki
Zielenkiewicz, P. *See* Kierzek, Wolf, and Zielenkiewicz
Zimatore, G. *See* Chillemi, Falconi, Amadei, Zimatore, Desideri, and Di Nola
Zunic, V. *See* Woolley, Zunic, Karanicolas, Jaikaran, and Starostin

SUBJECT INDEX

A

Acetylcholine, choline-leakage hypothesis, Alzheimer's disease, 1276
Acetylcholine receptor
nicotinic
cholesterol dependence of activation and desensitization, 2446
model of extracellular domain of, 52
water and sodium ions in pore region of, molecular dynamics, 1364
ACh. *see* Acetylcholine
Acousto-optic tunable filters, microscopy, imaging with, 1215
Actin
cross-bridges in, skinned psoas muscle fibers, 2292
interaction with gelsolin, 929
interaction with titin, cardiac myofibrils, 905
phosphatidylserine liposomes tethered by caldesmon to filaments, 1607
G-Actin
divalent cations and conformation of subdomain 1, 2023
stability and dynamics of, water and subdomain 3/4 loop, 624
F-Actin, myosin attached to, interhead distances by FRET, 895
Action potentials
in model of corticotrophs, 1263
squid giant axon, effects of bath resistance on, 2347
Activation, G protein, by ligand-free and light-activated rhodopsin, 3182
Acyl chains
polyunsaturated, effect on membrane lateral compressibility, 1954
unsaturated, phospholipid bilayers, gramicidin channels, 1310
***N*-Acylphosphatidylethanolamines,** chain-melting phase transitions of, 2556
Adenine, bulge, stability of conformations, DNA, 2990
Adenosine triphosphatase, SR
characterization of nucleotide binding domain using DIDS, 2149
entropic drive in interaction with Mg and phosphate, 2179
Adenosine triphosphate, sodium/potassium-ATPase pump current activation, 186
Adherens junctions, viscoelastic response to tension via, fibroblasts, 2798
Adhesion
domain formation induced by, model for, membranes, 245
induction of calcium entry sites, adherent cells, 1785
Aggregation
PEG-induced, effects of lipid headgroup and packing stress on, phospholipid vesicles, 277
platelets, in linear shear flow, 2819
Alamethicin ion channels
rectification of ion flux in, 770
signal transduction across, signal to noise ratio, 2456
Alzheimer's disease
amyloid β-protein forms zinc-sensitive cation-selective channels, hypothalmic neurons, 67
choline-leakage hypothesis for loss of ACh in, 1276
Amino acids, hydration structure of, 2106
Amphiphilic peptide, in lipid bilayer, MD study of, 3039
Amyloid β-protein, forms zinc-sensitive cation-selective channels, hypothalmic neurons, 67
Anesthetics, local, and sodium channels isoforms, 779
Anisotropies
motional, water in blood vessel walls, 1198
pump-probe, of *Chlorobium tepidum* FMO trimers, 2090
Antifreeze proteins, ice-binding mechanism of, winter flounder, 2851
AOTF microscopy. *see* Acousto-optic tunable filter microscopy
Apolipoprotein A-I, structure in reconstituted high-density lipoprotein disks, 2337
Aquaporin-1, comparison of secondary structures of bacteriorhodopsin and, 406
Ascaris suum, distal hydrogen-binding in myoglobin mutant of hemoglobin, 1019
Atomic force microscopy
height of biomolecules measured by, 1633
studies of Pox viruses and living cells, review, 2183
tapping mode, image contrast of, 3299
Axial stiffness, diamide effect on, cochlear outer hair cells, 2809
Axons
myelinated, tail currents in, *Xenopus laevis,* 179
squid giant, effects of bath resistance on action potentials, 2347

B

Backbone, phosphodiester, DNA, transitions of, ^{31}P-NMR, 1539
Bacteria
marine coccoid, magneto-aerotaxis in, 994
size changes monitored by polarized light scattering, 500
Bacterial reaction centers, photosynthetic, hydrogen ion binding by $P^+Q_A^-$ state, 367
Bacteriorhodopsin
conformational changes during photocycle, EPR spectroscopy, 983
dynamics of α-helices in DMPC, 2376
internal molecular motions, QINS, 2126
lipid sorting by, in DLPC/DSPC lipid bilayers, 1940
M_1 to M_2 transitions resolved by FTIR-double-Flash, 2071
monomers of, optical rotation of retinal in, 3164
mutant R82Q, guanidinium restores chromophore of, 2711
orientation of water molecules in, polarized Fourier transform IRS, 1001
photoexcited, motion in purple membrane containing ethanol, 357
reprotonation switch and photoreversal of M-intermediate, 3171
retinal binding to, MD simulation of, 2972
secondary structures of aquaporin-1 and, 406
water and control of native structure, 2081
water and extracellular half channel of, 2718
zinc chloride-regenerated, cation binding in, 2097
β-Barrel, comparison with α-helix bundle, Shaker voltage-gated potassium channels, 581
Binding
electrostatic, proteins to membranes, 1717
kinetics of, EGF to individual cells, 1089
reconstructing functions from simulated force-induced unbinding processes, 1281
Biomimetic surfaces, formation from cell membranes, 3066
Biphasic transients, calcium, model of, electrically nonexcitable cells, 659
Birefringence, transient electrical, solution dynamics of light chain-dependent myosin, 952
Birefringence decay profiles
nucleic acids helices with bends, the τ-ratio approach, 306
RNA helices, Brownian dynamics simulations, 318
BK channels
calcium-sensing domain in, 1355
chromaffin cells
cytosolic inactivation domains, 819
effect of hydrostatic pressure on, 1866
Blood vessel walls, motional anisotropy of water in, 1198

Boltzmann factor, protein-protein association predicted by, 2441
Boundary element method, computing molecular electrostatics with, 1830
Brain, single-channel properties of ER anion channel, 168
Brownian dynamics simulations, birefringence decay profiles of RNA helices, 318
Buffering, of free intra-SR calcium, rat heart, 1524
B-Z junction, stability of oligomeric duplexes forming, DNA, 3135
B-Z transition, chiral order in sequences of DNA, 966

C

Calcium
binding and clearance in cytosol of adrenal chromaffin cells, 532
driving potential of, mechanism for postsynaptic plasticity, 1655
dynamics in presynaptic terminals of granule cells, 2476
effect on phospholipid interaction with SPC, 2595
electrical bursting and calcium oscillations, pancreatic β cells, 1673
entry sites in cell body and processes of adherent cells, 1785
free, endogenous buffers limit spread of, hair cells, 1243
free intra-SR, buffering in rat heart, 1524
gating of ryanodine receptors, skeletal and cardiac muscle, 141
indo-1 fluorescence signals in isolated skeletal muscle fibers, 920
$InsP_3$ and ryanodine receptors share pool, Purkinje neurons, 3349
intracellular, inactivates L-type calcium channels, 1857
model of biphasic transients, electrically nonexcitable cells, 659
waves in model, calcium release sites, 2897
Calcium channels, L-type
activation of ryanodine receptors, cardiac muscle diad, 112
block by (-)Devapamil affected by structure of phenylalkylamine receptor site, 157
inactivated by intracellular calcium, 1857
simulation of calcium movements during gating in cardiac diad, 97
S5-S6 linker of repeat I, conductance of, 1402
Calcium release channel
amino acid deletion, alters conduction of ryanodine receptor, 1320
cardiac muscle, permeation through, 1337
ryanodine receptor C-terminal portion forms, 1329
Calcium release sites, calcium waves in model with heterogeneous distribution, 2897
Calcium waves, colliding spherical, velocity-curvature relationship of, cardiac myocytes, 1232
Calcium-sensing domain, in BK channel, 1355
Caldesmon, phosphatidylserine liposomes tethered to actin filaments by, 1607
Capacitance, due to membrane motor, outer hair cells, 2965
Capillary condensation, and protein organization in membranes, 1728
Carbon dioxide, sensitivity to, connexin-32 C-terminus domain and, 798
Carbon monoxide, binding to *Chironomus thummi-thummi* erythrocruorin III, 2742
γ-Carboxyglutamic acid domains, of protein S and Gas6, solution structures, 1847
Cardiac muscle
calcium gating of ryanodine receptors, 141
diads, ryanodine receptor activation by L-type calcium channel activity, 112
L-type calcium channels, calcium movements during gating, cardiac diad, 97
Cardiac tissue, generalized activating function for predicting virtual electrodes in, 1410
Cardiomyocytes, compartmentalized energy transfer in, modeling for analysis of, 428
Cations
binding in zinc chloride-regenerated bacteriorhodopsin, 2097
divalent, and conformation of G-actin subdomain 1, 2023
monovalent, leak transport, erythrocytes, 733
organic, free energy profiles for, gramicidin A channels, 1699
Cell body, microspectrophometric study of, *Chlamydomonas*, 1573
Cell membranes, biomimetic surface formation from, 3066
Cells
field-flow fractionation of, force field for, dielectrophoresis, 1118
simulation of detachment from surfaces by shear flow, 517
virtual, modeling of cellular structure and function, 1135
Charge, surface, electrorotation of colloidal particles and cells dependent on, 1617
Charge pulse experiments, valinomycin/Rb^+ complex, inner membrane barrier, lipid membranes, 746
Charybdotoxin, binding to phospholipid vesicles, 1717
Chemotaxis, residence time, calculation for bacteria in porous media, 2930
Chiral order, in B-Z transition in sequences of DNA, 966
Chironomus thummi-thummi, erythrocruorin III, carbon monoxide binding to, 2742
Chlamydomonas
microspectrophometric study of eye spot and cell body in, 1573
phobic responses controlled by rhodopsin-induced photocurrents, 1395
phototactic orientation in, 1562
Chloride channels, CLC-O, independent gating of single pores, *Torpedo*, 789
Chlorobium tepidum, pump-probe anisotropies of FMO trimers, 2090
Cholesterol
activation and desensitization of nACR dependent on, 2446
effect on phopholipid membrane curvature and elasticity, 267
interfacial elasticity induced by, PC, 1492
Choriogonadotropin, human, ligand-induced receptor dimerization and signal transduction by, 1190
Chromaffin cells
adrenal, calcium binding and clearance in cytosol, 532
cytosolic inactivation domains of BK channels in, 819
effect of hydrostatic pressure on BK channel, 1866
Chromophore, restored by guanidinium, mutant R82Q bacteriorhodopsin, 2711
Cocaine, binding affinity of sodium channels isoforms, 779
Collagen fibers, self-assembly, influence of fibrillar alignment and decorin, 2164
Collision coupling, diffusion-limited kinetics for receptor-cross-linking and, 2949
Colloidal particles, electrorotation of, dependent on surface charge, 1617
Combing, pH-dependent, of DNA dependent on, 2064
Complement receptor 4, migrating neutrophils, oscillations of urokinase receptor and, 1777
Conductances, voltage-dependent, mapping of, outer hair cells, 1424
Conformation, free energy, protein loop conformations, 2359
Connectin. *see* Titin
Connexin-32, C-terminus domain, inhibition of gap junction gating sensitivity to CO_2, 798
Connexin-45, junctions, voltage-gating properties of, Xenopus oocytes, 757
μ-Conotoxin, binding residues, skeletal muscle sodium channels, shown by cysteine mutagenesis, 1874
Contraction

activation kinetics in voltage clamped frog skeletal muscle fibers, 1999
myofibrils, nucleotide release kinetics during, 2032
Core particles, nucleosomes, discotic columnar hexagonal phase, 1771
Corticotrophs, action potentials in model of, 1263
CR4. *see* Complement receptor 4
CRC. *see* Calcium release channel
C-Reactive protein, interaction with phospholipid monolayers, 446
Creatine phosphokinase, mobility of β-enolase and, in muscle cells, 2667
Cross-bridges
actin, skinned psoas muscle fibers, 2292
force generation and phosphate release in cycle, slow twitch muscle fibers, 878
Crystal structures
d(GCGCGCG) heptamer of DNA, 1553
protein dynamics derived from clusters, 2891
Crystalline phases, influence of *sn*-2 acyl chain *cis* double bonds on transitions, phosphatidylethanolamine, 283
Crystals, protein, simulations of nucleation and early growth, 571
CTX. *see* Conotoxin
CX32. *see* Connexin-32
Cytochrome, quinone coupling with, reaction center photocycle, *Rhodobacter sphaeroides*, 972
Cytochrome *f,* plastocyanin complex with, electron-transfer kinetics in, 3265
Cytochrome p450BM-3, protein domain motions and molecular flexibility, 1147
Cytoskeleton, protein, binding at phospholipid membranes, 1987

D

Debye-Huckel model, electrostatic potentials around dissolved DNA, 21
Decorin, self-assembly of collagen fibers, influence of, 2164
Defensin A, penetration of, into phospholipid monolayers, lipid complexes formed by, 2527
Defibrillation, theoretical background to, cardiac tissue, 1410
Deoxyribonucleic acid
A- to B-transition, in nonhelical nucleic acid hairpin, 2702
B
molecular dynamics trajectory for, 2313
sequence effect on conformation of helix, 333
B and Z, base-base and deoxyribose-base stacking interactions, 76
chiral order in B-Z transition in sequences of, 966
complexes with cationic liposomes, 1842
conformation and dynamics of double-helical model for, 3142
crystal structure of d(GCGCGCG) heptamer of, 1553
dissolved, Debye-Huckel model for electrostatic potentials around, 21
driving proteins off by applied tension, 2173
ethidium bromide complex with, optical absorption spectroscopy, 959
fragments containing G+C runs, guanine tetraplex formation from, 2054
length and concentration and anisotropic phase transitions, 3154
lipid complexes with, honeycomb and spaghetti-like structures, 2427
molecular crowding and TyrR interactions with, 3257
oligonucleotide duplexes of RNA and, 1532
pH-dependent specific binding and combing of, 2064
plasmid, properties of cationic liposomes with, 2534
role of water in ER binding to, 557
stability of B-Z junction-forming oligomeric duplexes, 3135
stability of conformations of adenine bulge in, 2990
supercoiled, extension by external force, 123
supercoils, configurational transitions in, 1742
superhelical, salt effect on structure and dynamics, 2674
transitions of phosphodiester backbone, ^{31}P-NMR, 1539
Depolarization, calcium ion changes induced by, indo-1 method for measuring, muscle fibers, 920
Detachment, simulation of, of cells from surfaces, by shear flow, 517
(-)Devapamil, structure of phenylalkylamine receptor site effects calcium channel block by, 157
Diads, cardiac
ryanodine receptor activation by L-type calcium channel, 112
simulation of calcium movements during gating, L-type calcium channels, 97
Diamide, effect on force generation and axial stiffness of outer hair cells, 2809
Dielectric properties
phase analysis light scattering characterization, 3309
of water, in model transbilayer pores, 2404
Dielectrophoresis, force field for field-flow fractionation, 1118
Diffusion
barriers to, plasma membrane proteins, guinea pig spermiogenesis, 507
behavior in entangled polymer solutions, lipid vesicles, 1932
macrocyclic polyamides, effect of size on rate of, model membranes, 2580
in model membranes, revealed by single-molecule microscopy, 1073
rotational, myoglobin and hemoglobin, 2764
serotonin, determined by ion exchange, 1169
Diffusion coefficients, through laryngeal cartilage, oxygen and Ru(III) hexamine, 2771
Diffusion-limited kinetics, collision coupling and receptor-cross-linking, 2949
Dihexadecylphosphatidylcholine, trehalose induces destabilization of gel phase in, 3030
Dihydrofolate reductase, *E. coli,* effects of fluorine substitution on complexes of, 1579
Dihydropyridine receptor β_1, myotubes deficient in, recovery on transfection with β_1 cDNA, 807
Dimyristoylphosphatidylcholine, dynamics of bacteriorhodopsin α-helices in, 2376
Dimyristoylphosphatidylglycerol, bilayer membranes, lysine peptide interactions with, 2546
Dioleoylphosphatidylcholine
lipid bilayers, cryo-TEM of superstructure, 3016
and water system, influence of α-helical peptides on phase behavior, 3078
Dipalmitoylglycerol, effects on PKC activity and membrane structure, 2603
Dipalmitoylphosphatidylcholine, lipid bilayers, effect of ethylene oxide containing lipopolymers on, 1479
L-α-Dipalmitoylphosphatidylcholine, orientation of SP-C and, IRRAS study in aqueous monolayers, 492
Diphytanoylphosphatidylcholine, hydration sensitivity of membrane packing geometry of, 870
DMPC. *see* Dimyristoylphosphatidylcholine
Domain formation, adhesion-induced, model for, membranes, 245
Domain motions, protein, and molecular flexibility, cytochrome p450BM-3, 1147
DPDPE. *see* D-PENICILLAMINE^{2,5}-enkephalin
DPhPC. *see* Diphytanoylphosphatidylcholine
DPPC. *see* Dipalmitoylphosphatidylcholine
Drosophila melanogaster, IFM, phosphorylation-dependent power output of, 3122
d(TGG)$_4$, synergistic effects of potassium and magnesium on self-assembly of, 348

E

EGF. *see* Epidermal growth factor
Elasticity
cholesterol-induced interfacial, modulated by acyl unsaturation, PC, 1492
effect of cholesterol on phopholipid membrane curvature and, 267
titin, and passive force mechanism in rat cardiac myocytes, 2043
Electrical fields
external, bending in, cochlear outer hair cells, 1665
high-frequency, deformability of erythrocytes in, 2653
Electrodes, virtual, prediction of generalized activating function, cardiac tissue, 1410
Electromagnetic signals, amplification by ion channels, 3056
Electroneutral exchange process, monovalent cation leak transport, erythrocytes, 733
Electrophoresis, gel, random-walk model for interacting species retardation during, 1288
Electroporation
formation of calcium entry sites in adherent cells, 1785
pore disappearance after, 1299
Electrorotation
colloidal particles and cells, dependent on surface charge, 1617
S. cerevisiae, between 100 Hz and 1.6 GHz, 1103
Electrostatic binding, proteins to membranes, 1717
Electrostatic potentials, Debye-Huckel model for, around dissolved DNA, 21
Electrostatics, molecular, computing with boundary element method, 1830
Electrotonic measurements, field-induced polarization in neurons, 3004
Endoplasmic reticulum anion channel, single-channel properties of, brain, 168
Endosomes, membrane potentials and regulation of pH, 674
Energy
compartmentalized transfer, modeling for analysis of, cardiomyocytes, 428
free
influence of membrane potential on, intrinsic protein, 2980
for organic cations, gramicidin A channels, 1699
protein loop conformations, 2359
of supercoiling, temperature dependence, 2688
potential, reconstructing functions from simulated force-induced unbinding processes, 1281
β-Enolase, mobility of creatine phosphokinase and, muscle cells, 2667
Entropic drive, in interaction with Mg and phosphate, SR ATPase, 2179
Enzymes, motor, mechanical components of, 938
Epidermal growth factor, binding kinetics to individual cells, 1089
Epidermis, topological mechanism for renewal of, 38
ER. *see* Endoplasmic reticulum
Erythrocruorin III, *Chironomus thummi-thummi,* dymamic properties of, 2742
Erythrocytes
deformability in high-frequency electrical fields, 2653
monovalent cation leak transport in, 733
Escherichia coli, pore size of large-conductance mechanosensitive ion channel, 1925
Estrogen receptors, role of water in DNA binding, 557
Ethanol, photoexcited bacteriorhodopsin in purple membrane containing, 357
Ethidium bromide, DNA complex with, optical absorption spectroscopy, 959
Ethylene oxide, containing lipopolymers, effect on DPPC lipid bilayers, 1479
Evolution, protein structures and distribution in sequence space, 2393
Exotoxin A, *Pseudomonas aeruginosa,* adsorption to phospholipid monolayers, 1468
Eye spot, microspectrophometric study of, *Chlamydomonas,* 1573

F

Factor Va, membrane complex of, roles of heavy and light chains in, 2638
Fatty acids, effects on PKC activity and membrane structure, 2603
Fenna-Matthews-Olson protein, trimers of, pump-probe anisotropies, *Chlorobium tepidum,* 2090
Fibroblasts, viscoelastic response to tension via adherens junctions, 2798
Field-flow fractionation, force field for, dielectrophoresis, 1118
Flagella motor, bacterial, protein turbines, 703
Flexibility, molecular, protein domain motions and, cytochrome p450BM-3, 1147
Flounder, winter, antifreeze proteins, ice-binding mechanism of, 2851
Fluid bilayers, PC/PE, superlattice arrangements in, 1967
Fluid membranes, renormalization of tension and area expansion modulus in, 865
Fluorescence microscopy, high-speed, random-access, high-resolution optical recording, 477
Fluorine, effect of substitution on complexes of *E. coli* dihydrofolate reductase, 1579
Fluorophore, mapping distributions by MA-TRIFM, 2836
FMO protein. *see* Fenna-Matthews-Olson protein
Folding
protein
statistical mechanics of models of, 3192
temperature stability and hydrophobic interactions, 2960
thermal unfolding in GCN4-like leucine zipper, 1031
Force field, for field-flow fractionation, dielectrophoresis, 1118
Force generation
cross-bridge cycle, rabbit soleus slow twitch muscle fibers, 878
diamide effect on, cochlear outer hair cells, 2809
Furaptra, basal intracellular free concentration of Mg, assayed using, SMC, 3358
Fusion peptide, HIV-1, uncharged lipid vesicle fusion induced by, 1977

G

G protein, activation by ligand-free and light-activated rhodopsin, 3182
$GABA_A$ receptor channels, activation and deactivation rates, 2518
Gap junctions, gating sensitivity to CO2, CX32 and inhibition of, 798
Gas6. *see* Growth arrest specific protein 6
Gastric mucosa, *Helicobacter pylori,* survival by generating pH gradient, computer model, 1081
Gating
calcium, of ryanodine receptors, skeletal and cardiac muscle, 141
in cardiac diad, calcium movements during, L-type calcium channels, 97
gap junctions and sensitivity to CO2, C-terminus domain and inhibition of, CX32, 798
independent, of single pores, *Torpedo* CLC-O chloride channels, 789
Gel electrophoresis, random-walk model for interacting species during, 1288
Gelsolin
actin interaction with, 929

interaction of PIP_2 aggregates with tau and, 1440
Gene insertion, DHPR β_1-deficient myotubes, recovery on transfection with β_1 cDNA, 807
Glial cells, XR1, viability and membrane interactions imaged by AFN, 1205
Glycosylphosphatidylinositol, influenza hemagglutinin anchored by, hemifusion intermediate, 2280
Gramicidin A
dioxolane-linked dimers and, proton conduction in lipid bilayers, 2489
linear, model system for protein stability in lipid bilayers, 614
lipid interactions with, 2D-FT-ESR, 2201
Gramicidin channels
ball- and chain-, voltage-dependent behavior of, 2465
dissociation kinetics, effect of dipole potiential of bilayer lipid membrane, 850
free energy profiles for organic cations, 1699
phospholipid bilayers with unsaturated acyl chains, 1310
Granule cells, sodium and calcium dynamics in presynaptic terminals of, 2476
Green fluorescent protein, use in quantitative fluorescence microscopy, 2782
Growth, dynamics of, pores, in membranes, 1797
Growth arrest specific protein 6, solution structure of γ-carboxyglutamic acid domains, 1847
GTP. *see* Guanosine triphosphate
Guanidinium, restores chromophore of mutant R82Q bacteriorhodopsin, 2711
Guanine, tetraplex formation from DNA fragments containing G+C runs, 2054
Guanosine, analog of, fluorescence when incorporated into oligonucleotides, 3277
Guanosine triphosphate, hydrolysis of, and tubulin oligomers in microtubule nucleation, 418

H

Hair cells
bending in external electric field, 1665
diamide effect on force generation and axial stiffness of, 2809
endogenous buffers limit spread of free calcium, 1243
mapping of voltage-dependent conductances, 1424
motility in, 546
noise spectrum and capacitance due to membrane motor, 2965
Hairpin, nonhelical nucleic acid, DNA A- to B-transition, 2702
hCG. *see* Choriogonadotropin, human
Heart, buffering of free intra-SR calcium in, 1524
Heat of transfer, lipid and surfactant from vesicles into micelles, 1458
α-Helical peptides, influence of on phase behavior in DOPC/water lipid bilayer system, 3078
Helices, DNA chiral order in B-Z transition in sequences, 966
α-Helices, dynamics of, in DMPC, bacteriorhodopsin, 2376
Helicobacter pylori, survive in gastric mucosa by generating pH gradient, computer model, 1081
α-Helix bundle, model, comparison with β-barrel model, Shaker voltage-gated potassium channels, 581
Hemagglutinin, influenza GPI anchored, hemifusion intermediate induced by, 2280
Hemagglutinin fusion peptide, influenza, interaction with lipid bilayers, 1430
Heme pocket, in myoglobin, pressure effects on, 2752
Heme proteins, nitrosyl, temperature dependence of Q-band EPR spectra, 3225
Hemoglobin
Ascaris suum, distal hydrogen-binding in myoglobin mutant of, 1019
myoglobin and, rotational diffusion in the cell, 2764
saturation and oxygen tension maps, brain, AOTF microscope, 1223
Histidine^{166}, active site proton transfer and phototaxis signaling, sensory rhodopsin I, 1516
Histidines
ionization constants, temperature-dependence of, myoglobin, 3241
tautomeric state of, myoglobin, 3230
Horseradish peroxidase, multiple Q(O,O) bands in spectrum of magnesium-mesoporphyrin embedded in, 397
Human immunodeficiency virus-1, fusion peptide, uncharged lipid vesicle fusion induced by, 1977
Hydration
collective properties of, 31
low, molecular dynamic simulation at, unsaturated lipid bilayers, 2269
sensitivity of membrane packing geometry of DPhPC, 870
structure near hydrophobic and hydrophilic amino acids, 2106
Hydrogen
binding by $P^+Q_A^-$ state, photosynthetic bacterial reaction centers, 367
distal binding in myoglobin mutant of *Ascaris suum* hemoglobin, 1019
Hydrophobic interactions
long range and specificity of, 31
temperature stability and, 2960
Hydrostatic pressure, effect of, BK channel, chromaffin cells, 1866
HyHEL-5, mAb to lysozyme, role of water molecules in association, 2116
Hyperthermia, malignant, inhibitory effect of Mg on ryanodine receptors, 1913

I

Ice, binding mechanism of antifreeze proteins, winter flounder, 2851
IFM. *see* Indirect flight muscle
Imaging
acousto-optic tunable filters, microscopy, 1215
AFN, viability and membrane interactions, XR1 glial cells, 1205
contrast, of tapping mode AFM, 3299
HDLs, using AFM, 1184
living cells, scanning ion conductance microscopy, 653
Inactivation domains, cytosolic, BK_i channels, chromaffin cells, 819
Inactivation linker, sodium channels, interacts with domain III S4-S5, 1885
Indirect flight muscle, *Drosophila melanogaster,* phosphorylation-dependent power output of, 3122
Indo-1
fluorescence signals in isolated skeletal muscle fibers, 920
measuring depolarization-induced calcium ion changes in muscle fibers, 920
Influenza A, M2 protein channel, transmembrane 4-helix bundle of, 2511
Influenza hemagglutinin, GPI anchored, hemifusion intermediate induced by, 2280
Influenza hemagglutinin fusion peptide, interaction with lipid bilayers, 1430
Infrared reflection-absorption spectroscopy, study in aqueous monolayers, orientation of L-α-DPPC and SP-C, 492
Inner membrane barrier, lipid membranes, and valinomycin/Rb^+ complex, charge pulse experiments on, 746
Inositol trisphosphate receptors, share calcium pool with ryanodine receptors, Purkinje neurons, 3349
Insertion, kinetics of, spin-labelled phospholipids into lipid bilayers, 1645

Insulin, interspin distances between spin labels attached to, 3287
Interfaces, polypeptide monolayers at, 1056
Interhead distances, myosin attached to F-actin, by FRET, 895
Ion channels
amplification of electromagnetic signals by, 3056
model transbilayer pores, dielectric properties of water in, 2404
Ion conductance scanning microscopy, imaging of living cells, 653
Ion flux, rectification of, alamethicin channels, 770
Ion leak, across lipid bilayers, nonohmicity of, 1805
IRRAS. *see* In ared reflection-absorption spectroscopy

J

Junctions, connexin-45, voltage-gating properties of, Xenopus oocytes, 757

K

Kidney cells, human embryonic, retinal sodium:calcium,potassium exchanger in, 45
Kinesin, mechanics of single molecules, optical trapping nanometry, 2012

L

β-Lactamases, class A pK_a calculations for, 2416
Laurdan, solvatochromism, characteristics of, 2221
LD spectra. *see* Linear dichroism spectra
Leak
choline, hypothesis for loss of ACH Alzheimer's disease, 1276
ionnonohmicity of, across lipid bilayers, 1805
sodium, pathway in sodium-glucose cotransporter, 2503
Leucine zipper, GCN4-like, thermal unfolding in, 1031
Levitation, gradient, magnetic fields, *Xenopus leavis*, 1130
Lidocaine, binding affinity of sodium channels isoforms, 779
Linear dichroism spectra, vibrational circular dichroism, absorption and, nucleic acids, 339
Linear shear flow, aggregation of platelets in, 2819
Lipid bilayers
diffusion behavior of unilamellar lipid vesicles and polystyrene spheres across, 1932
diunsaturated PLPC, properties using MD simulation, 2907
DLPC/DSPC, lipid sorting by bacteriorhodopsin in, 1940
DMPG membranes, lysine peptide interactions with, 2546
DOPC, cryo-TEM of superstructure, 3016
DOPC/water system, influence of α-helical peptides on phase behavior, 3078
DPPC, effect of ethylene oxide containing lipopolymers on, 1479
interaction of influenza hemagglutinin fusion peptide with, 1430
interaction with gramicidin A, model system for protein stability in, 614
kinetics of insertion and accessiblity of spin-labelled phospholipids, 1645
MD study of, amphiphilic peptide in, 3039
membranes, polyunsaturated, water permeability measured by ^{17}O NMR, 855
nonohmicity of ion leak across, 1805
phospholipid micelles, DPDPE binding and arrangement in, 3337
proton conduction in, gramicidin A and dioxolane-linked dimers, 2489
translational motion of water at, interface, 2575
unsaturated, molecular dynamic simulation at low hydration, 2269
Lipid membranes
aligned systems in "excess water" condition, 2924
bilayer, dipole potential of, effect on dissociation kinetics, gramicidin A channel, 850
inner membrane barrier and valinomycin/Rb^+ complex, charge pulse experiments on, 746
octyl-β-thioglucopyranoside interaction with, 2565
Lipid vesicles
diffusion behavior in entangled polymer solutions, 1932
uncharged, fusion induced by HIV-1 fusion peptide, 1977
Lipids
complexes with DNA, honeycomb and spaghetti-like structures, 2427
fluctuations, protein attraction induced by, membranes, 2251
headgroup size on peptide insertion into membranes, 239
headgroups, effects of packing stress, PEG-induced phospholipid vesicle aggregation, 277
heat of transfer of, from vesicles into micelles, 1458
interactions with gramicidin, 2D-FT-ESR, 2201
selectivity affected by single-residue deletion in, potassium channel-associated peptide, 2588
sorting by bacteriorhodopsin, in DLPC/DSPC lipid bilayers, 1940
Lipopolymers, ethylene oxide containing, DPPC lipid bilayers, 1479
Lipoprotein disks, reconstituted high-density, ApoA-I structure in, 2337
Lipoproteins, high density, imaging and manipulation using AFM, 1184
Liposomes
cationic
DNA complexes with, 1842
properties of, in presence of plasmid DNA, 2534
phosphatidylserine, tethered to actin filaments by caldesmon, 1607
unilamellar, effect of PEG-phospholipids on aggregate structure in, 258
Loop conformations, proteins, conformational free energy and, 2359
Lysine peptides, interactions with DMPG bilayer membranes, 2546
Lysozyme
interactions in concentrated electrolyte solutions, 3211
mAb HyHEL-5 to, role of water molecules in association, 2116
modeling electrophoresis of, ion relaxation, 133
water-coupled low-frequency modes of myoglobin and, 2726
Lysozyme chloride, solubility in pH and salt gradient, 2156

M

M2 protein channel, influenza A, transmembrane 4-helix bundle of, 2511
Magnesium
basal intracellular free concentration of, assayed using furaptra, SMC, 3358
entropic drive in interaction of phosphate and, SR ATPase, 2179
inhibitory effect ryanodine receptors, malignant hyperthermia, 1913
sodium-gradient dependent transport of, SMC, 3371
synergistic effects of potassium and, on self-assembly of $d(TGG)_4$, 348
Magnesium-mesoporphyrin, horseradish peroxidase, multiple Q(O,O) bands in spectrum of, 397
Magnetic fields
calculated multipole modeling of focal biological current sources, 1253
gradient levitation of *Xenopus leavis,* 1130
Magneto-aerotaxis, marine coccoid bacteria, 994
Magnetoencephalography, optimizing informational content of, 1253

Markov processes inversion, rate constants determined by, from single-channel data, 1382
Mechanosensitive ion channel, large-conductance, pore size of, *E. coli*, 1925
Melittin, translocation of, pore formation and, 831
Membrane motor, noise spectrum and capacitance due to, outer hair cells, 2965
Membrane patches, vibrational spectra using miniature IR wave guides, 2235
Membrane potential, influence on free energy of intrinsic protein, 2980
Membrane/protein interactions, transmembrane helix structure, molecular dynamics simulations, 3
Membranes
containing PEG-lipid, exchange of MOPC with, 2615
effects of dipalmitoylglycerol and fatty acids on structure, 2603
electropermeabilized cells, fluorescent molecule interaction with, 2630
electrostatic binding of proteins to, 1717
interactions imaged by AFN, XR1 glial cells, 1205
lateral compressibility, effect of acyl chain polyunsaturation, 1954
lipid headgroup size and peptide insertion into, 239
model
diffusion revealed by single-molecule microscopy, 1073
size and diffusion rate of macrocyclic polyamides, 2580
model for adhesion-induced domain formation, 245
phopholipid, effect of cholesterol on curvature and elasticity, 267
pore growth dynamics in, 1797
protein attraction induced by lipid fluctuations, 2251
regulation of pH and potential, endosomes, 674
structure by variable-period X-ray standing wave method, 1506
wetting, capillary condensation and proteins in, 1728
Micelles
heat of transfer of lipid and surfactant from vesicles into, 1458
phospholipid, DPDPE binding and arrangement in, 3337
Microdomains, Thy-1-labelled, localization by AFM, thymocytes, 1627
Microscopy, Also see Atomic force microscopy
acousto-optic tunable filters, improved imaging with, 1215
AOTF, hemoglobin saturation and oxygen tension maps, brain, 1223
high-speed, random-access fluorescence, high-resolution optical recording, 477
quantitative fluorescence, use of green fluorescent protein in, 2782
scanning ion conductance, imaging of living cells, 653
single-molecule, diffusion in model membranes, 1073
Microtubule bundles, pillar cells in, inner ear, 2241
Microtubules
diffusion-limited rate of assembly, 88
GTP hydrolysis and tubulin oligomers in nucleation of, 418
Migration, neutrophils, oscillations of CR4 and urokinase receptor on, 1777
Mitoxantrone
intracellular distribution in living K562 cells using CSI, 3328
localization in living K562 cells using CSI, 3317
MLCK. *see* Myosin light chain kinase
Modeling, cells, structure and function, 1135
Molecular dynamics
amphiphilic peptide in lipid bilayer, 3039
retinal binding to bacteriorhodopsin, 2972
simulation, diunsaturated PLPC lipid bilayer, 2907
transmembrane helix structure, membrane/protein interactions, 3
Molecular motions, internal, bacteriorhodopsin, QINS, 2126
Molecular surfaces, smooth invariant, method for computation of, 722
Monooleoylphosphatidylcholine, exchange of, membranes containing PEG-lipid, 2615
Monte Carlo simulations, effect of geometrical parameters on synaptic transmission, 2874
Motility, in cochlear outer hair cell, 546
Motor enzymes, mechanical components of, 938
Multipoles, magnetic fields calculation, modeling of focal biological current sources, 1253
Muscle
frog skeletal, contractile activation kinetics in voltage clamped fibers, 1999
skeletal
fluorescence study of single tryptophans of troponin C, 1042
indo-1 fluorescence signals in isolated fibers, 920
slow twitch fibers, force generation and phosphate release in cross-bridge cycle, 878
smooth, supramolecular organization of MLCK, 1593
Myocytes
cardiac, velocity-curvature relationship of colliding spherical calcium waves in, 1232
rat cardiac, titin elasticity and passive force mechanism in, 2043
Myofibrils
cardiac, actin-titin interaction in, 905
nucleotide release kinetics during contractions, 2032
Myoglobin
hemoglobin and, rotational diffusion in the cell, 2764
mutant, of *Ascaris suum* hemoglobin, distal hydrogen-binding in, 1019
pressure effects on heme pocket in, 2752
tautomeric state of histidines in, 3230
temperature dependence of histidine ionization constants in, 3241
water-coupled low-frequency modes of lysozyme and, 2726
Myosin
attached to F-actin, interhead distances by FRET, 895
light chain-dependent, solution dynamics, transient electrical birefringence, 952
temperature-induced changes, skinned psoas muscle, 2304
Myosin light chain kinase, smooth muscle, supramolecular organization, 1593
Myotonia, factors causing, sodium channel I1160V mutant, 1896
Myotubes, deficient in DHPR β_1, recovery on transfection with β_1 cDNA, 807

N

Nanometry, optical trapping, mechanics of single kinesin molecules, 2012
Neurons
cerebellar, Purkinje, $InsP_3$ and ryanodine receptors share calcium pool, 3349
electrotonic measurements by field-induced polarization, 3004
hypothalamic, zinc-sensitive cation-selective channels formed by amyloid β-protein, Alzheimer's disease, 67
Neutrophils, migrating, oscillations of CR4 and urokinase receptor on, 1777
Noise spectrum, due to membrane motor, outer hair cells, 2965
Nuclear magnetic resonance spectra, probe of protein structure by solvent perturbation of, 382
Nucleation
microtubules, GTP hydrolysis and tubulin oligomers in, 418
protein crystals, simulations of, 571
Nucleic acids
birefringence decay profiles for helices, the τ-ratio approach, 306
in nonhelical hairpin, DNA A- to B-transition, 2702
VOD, absorption and LD spectra, 339

Nucleosomes, core particles
discotic columnar hexagonal phase, 1771
ordering under macromolecular crowding conditions, 1771
Nucleotide binding domain, ATPase, characterization using DIDS, 2149
Nucleotides, release kinetics during contractions, myofibrils, 2032

O

Octyl glucoside, partitioning between PC-OG aggregates and aqueous media, 1448
Octyl-β-thioglucopyranoside, interaction with lipid membranes, 2565
OG. *see* Octylglucoside
Olfactory transduction, high-gain, low-noise amplification in, 1110
Oligonucleotide duplexes, DNA and RNA, properties of, 1532
Oligonucleotides, guanosine analog fluorescence when incorporated into, 3277
Optical rotation, retinal in bacteriorhodopsin monomers, 3164
Organ of Corti, hair cell bending in, 1665
Osmotic pressure data
fit, letter, 1692
improved fit to web site, letter, 1689
Oxygen
diffusion coefficient through laryngeal cartilage, 2771
saturation and tension maps, brain, AOTF microscope, hemoglobin, 1223

P

P segments, topology of, sodium channel pores, 196
Packing
membrane geometry of, DPhPC sensitivity to hydration, 870
stress, effects on PEG-induced phospholipid vesicle aggregation, 277
1-Palmitoyl-2-linoleoyl-*sn*-glycero-3-phosphatidylcholine, properties using MD simulation, 2907
Pancreatic β cells, insulin secreting, effect of extracellular calcium on electrical bursting and intracellular calcium oscillations, 1673
Partitioning
between fluid bilayers, phospholipids, 3112
between PC-OG aggregates and aqueous media, 1448
Passive force mechanism, titin elasticity and, rat cardiac myocytes, 2043
PC. *see* Phosphatidylcholine
PEG. *see* Polyethyleneglycol
D-PENICILLAMINE^{2,5}-enkephalin, binding and arrangement in phospholipid micelles, 3337
Peptides, insertion into membranes, effect of lipid headgroup size on, 239
Permeability, water, of polyunsaturated bilayer lipid membranes, ^{17}O NMR, 855
Permeation, through cardiac muscle CRC, 1337
pH
regulation of membrane potential and, endosomes, 674
specific binding and combing of DNA dependent on, 2064
Phase analysis light scattering, use in dielectric characterization, 3309
Phase behavior, DOPC/water lipid bilayer system, influence of α-helical peptides, 3078
Phase transitions
anisotropic, effect of length and concentration on, DNA, 3154
lamellar-to-inverted hexagonal, phosphatidylethanolamine, 3089
Phenylalkylamine receptor, structure of, effects calcium channel block by (-)Devapamil, 157
Phobic responses, controlled by rhodopsin-induced photocurrents, *Chlamydomonas,* 1395
Phopholipids, membranes, effect of cholesterol on curvature and elasticity, 267
Phosphates
entropic drive in interaction of Mg and, SR ATPase, 2179
release in cross-bridge cycle, slow twitch muscle fibers, 878
Phosphatidylcholine
acyl unsaturation modulates cholesterol-induced interfacial elasticity, 1492
partitioning between PC-OG aggregates and aqueous media, 1448
Phosphatidylethanolamine
lamellar-to-inverted hexagonal phase transitions in, 3089
sn-2 acyl chain *cis* double bonds and crystalline phase transition, 283
Phosphatidylinositol bisphosphate, interaction of aggregates with gelsolin and tau, 1440
Phosphatidylserine, liposomes, tethered to actin filaments by caldesmon, 1607
Phosphodiesters, backbone, DNA, transitions of, ^{31}P-NMR, 1539
Phospholipid bilayers, with unsaturated acyl chains, gramicidin A channels, 1310
Phospholipid membranes, binding of cytoskeletal protein at, 1987
Phospholipid monolayers
lipid complexes formed by penetration of defensin A into, 2527
Pseudomonas aeruginosa exotoxin A adsorption to, 1468
Phospholipid tubules, enzymatic degradation of, 230
Phospholipid vesicles, charybdotoxin binding to, 1717
Phospholipids
effect of calcium on interaction of, with SPC, 2595
micelles, DPDPE binding and arrangement in, 3337
monolayers, interaction of C-reactive protein with, 446
partitioning between fluid bilayers, 3112
polymorphism in head group region of DPhPC, 870
spin-labelled, insertion and accessiblity of, lipid bilayers, 1645
vesicles, lipid headgroup and packing stress on PEG-induced aggregation, 277
Phosphorescence, heterogenous systems using quencher concentration distributions, 452
Phosphorylation, power output of IFM dependent on, *Drosophila melanogaster,* 3122
Photoacoustic analysis, of proteins, 466
Photocurrents, rhodopsin-induced, control phobic responses, *Chlamydomonas,* 1395
Photocycles
conformational changes in bacteriorhodopsin during, EPR spectroscopy, 983
Rhodobacter sphaeroides, cytochrome and quinone coupling in reaction center, 972
Photosynthesis, bacterial reaction centers, hydrogen ion binding by $P^+Q_A^-$ state, 367
Phototaxis
orientation in *Chlamydomonas,* 1562
signaling, His^{166} critical for, sensory rhodopsin I, 1516
Pillar cells, inner ear, microtubule bundles in, 2241
PIP_2. *see* Phosphatidylinositol bisphosphate
Plasma membrane, diffusion barriers to proteins from, guinea pig spermiogenesis, 507
Plasticity, postsynaptic, calcium driving potential as mechanism for, 1655
Plastocyanin, cytochrome *f* complex with, electron-transfer kinetics in, 3265
Platelets, aggregation in linear shear flow, 2819
Polarity, molecular, troponin T-tropomyosin co-crystal, 1763
Polarized light scattering, bacterial size changes monitored by, 500

Polyamides, macrocyclic, diffusion rate in model membranes, 2580
Polyethyleneglycol-phospholipids, effect of on aggregate structure in unilamellar liposomes, 258
Polynucleotides, soft-modeling approach for thermodynamic and conformational transitions, 2937
Polypeptide monolayers, conformation and orientation at interfaces, 1056
Polystyrene spheres, diffusion behaviors of, across lipid bilayers, 1932
Pores
disappearance after electroporation, 1299
formation of, and translocation of melittin, 831
growth dynamics in membranes, 1797
model transbilayer, dielectric properties of water in, 2404
molecular dynamics of water and sodium ions in region of, nAChR, 1364
molecule motions within, voltage-dependent sodium channels, 603
single, independent gating of, *Torpedo* CLC-O chloride channels, 789
size of, large-conductance mechanosensitive ion channel, *E. coli,* 1925
Postsynaptic responses, evoked excitatory, synaptic noise and measurment amplitude, 205
Potassium, synergistic effects of magnesium and, on self-assembly of $d(TGG)_4$, 348
Potassium channel-associated peptide, alteration of lipid selectivity by single-residue deletion, 2588
Potassium channels, Shaker voltage-gated, comparison of β-barrel and α-helix bundle models, 581
Pox viruses, studies of living cells and, AFM, review, 2183
Pressure, effects on heme pocket in myoglobin, 2752
Protein crystals, simulations of nucleation and early growth, 571
Protein dynamics, derived from clusters, crystal structures, 2891
Protein kinase C, effects of dipalmitoylglycerol and fatty acids on activity, 2603
Protein S, solution structure of γ-carboxyglutamic acid domains in, 1847
Protein turbines, bacterial flagella motor, 703
Protein-protein association, rate enhancement by interaction potential, 2441
Proteins
attraction of, induced by lipid fluctuations, membranes, 2251
cytoskeletal, binding at phospholipid membranes, 1987
driven off DNA by applied tension, 2173
electrostatic binding of, to membranes, 1717
models of structures, distribution in sequence space, 2393
organization of, in membranes, 1728
photoacoustic analysis of, 466
stability in protein bilayers, model system for, gramicidin A, 614
structure probe by solvent perturbation of NMR spectra, 382
Proteolipid bilayers, probing of, coupled plasmon-waveguide resonance spectroscopy, 2791
Protons
active site transfer, His^{166} critical for, sensory rhodopsin I, 1516
conduction in lipid bilayers, gramicidin A and dioxolane-linked dimers, 2489
Pseudomonas aeruginosa, exotoxin A from, adsorption to phospholipid monolayers, 1468
Purple membrane, containing ethanol, motion of photoexcited bacteriorhodopsin in, 357
Putidaredoxin, conformations of C-terminal region, 2138

Q

Q(O,O) bands, multiple, in spectrum of Mg-mesoporphyrin embedded in horseradish peroxidase, 397
Quanta, probablistic secretion of, synaptosecretosomes, 1815
Quencher concentration distributions, analysis of phosphorescence in heterogenous systems using, 452
Quinone, cytochrome coupling with, reaction center photocycle of *Rhodobacter sphaeroides,* 972

R

Rate constants, determined by Markov processes inversion from single-channel data, 1382
τ Ratio approach, birefringence decay profiles of nucleic acid helices with bends, 306
Receptor-cross-linking, diffusion-limited kinetics for collision coupling and, 2949
Receptors, hCG, ligand-induced dimerization and signal transduction by, 1190
Redox potentials, rubredoxins, protein contributions to, 2733
Reprotonation switch, photoreversal of bacteriorhodopsin M-intermediate and, 3171
Residence time, chemotaxis, calculation for bacteria in porous media, 2930
Respiration, modeling for analysis of compartmentalized energy transfer, cardiomyocytes, 428
Retina, expression of retinal sodium:calcium,potassium exchanger in human embryonic kidney cells, 45
Retinal
binding to bacteriorhodopsin, MD simulation of, 2972
optical rotation from, in bacteriorhodopsin monomers, 3164
Rhodobacter sphaeroides, cytochrome and quinone coupling in reaction center photocycle of, 972
Rhodopsin
ligand-free and light-activated, G protein activation by, 3182
photocurrents induced by, control phobic responses, *Chlamydomonas,* 1395
reaction mechanisms using kinetic spectroscopy, 688
Rhodopsin I, sensory, His^{166} and active site proton transfer and phototaxis signaling, 1516
Ribonucleic acid
birefringence decay profile of helices, Brownian dynamics simulations, 318
oligonucleotide duplexes of DNA and, properties of, 1532
Rubredoxin, protein contributions to redox potentials of, 2733
Ruthenium(III) hexamine, diffusion coefficient through laryngeal cartilage, 2771
Ryanodine receptors
activation by L-type channel activity, cardiac muscle diad, 112
amino acid deletion alters conduction of CRC, 1320
C-terminal portion forms CRC, 1329
inhibitory effect of Mg on, malignant hyperthermia, 1913
recombinant, single-channel properties of, 1904
share calcium pool with $InsP_3$ receptors, cerebellar Purkinje neurons, 3349
skeletal and cardiac muscle, calcium gating of, 141

S

Saccharomyces cerevisiae, electrorotation between 100 Hz and 1.6 GHz, 1103
Salt, effect on structure and dynamics of superhelical DNA, 2674
Sarcoplasmic reticulum, free calcium in, buffering in rat heart, 1524
Secretory granules, amperometric detection of serotonin release from, 1160
Selectivity, lipid, alteration by single-residue deletion, potassium channel-associated peptide, 2588

Self-assembly
collagen fibers, influence of fibrillar alignment and decorin, 2164
$d(TGG)_4$, synergistic effects of potassium and magnesium on, 348
Sequence space, distribution of models of protein structures in, 2393
Serotonin
amperometric detection of release from electroporated granules, 1160
diffusivity determined by ion exchange, 1169
Shear flow
linear, platelets aggregation in, 2819
simulation of cell detachment from surfaces by, 517
Signal transduction
across alamethicin ion channels, signal to noise ratio, 2456
hCG receptors, ligand-induced, 1190
SIMS. *see* Smooth invariant molecular surface
Single-channel data, rate constants determined by Markov processes inversion from, 1382
Size, changes monitored by polarized light scattering, bacteria, 500
Skeletal muscle, calcium gating of ryanodine receptors, 141
Smooth invariant molecular surface, method for computation of, 722
Smooth muscle cells
basal intracellular free magnesium concentration, assayed using furaptra, 3358
sodium gradient-dependent magnesium transport, 3371
Sodium
dynamics in presynaptic terminals of granule cells, 2476
leak pathway in sodium-glucose cotransporter, 2503
magnesium transport dependent on gradient of, SMC, 3371
Sodium channels
inactivation linker interacts with domain III S4-S5, 1885
isoforms, steady-state inactivation and local anesthetic binding affinity, 779
I1160V mutant, factors causing myotonia, 1896
skeletal muscle, residues for μ-CTX binding shown by cysteine mutagenesis, 1874
tail currents in myelinated axon of *Xenopus laevis,* 179
topology of P segments in pores, 196
voltage sensor, outer vestibule of, 2260
voltage-dependent, molecule motions within pores, 603
Sodium ions, pore region of nAChR, molecular dynamics, 1364
Sodium:calcium,potassium exchanger, retinal, expression in human embryonic kidney cells, 45
Sodium-glucose cotransporter, substrate binding order, and sodium leak pathway in, 2503
Sodium/potassium-ATPase pump, currents activated by ATP or voltage jumps, 186
Solution structures, γ-carboxyglutamic acid domains of protein S and Gas6, 1847
Solvatochromism, laurdan, 2221
Solvents, perturbation of NMR spectra, probe of protein structure by, 382
SPC. *see* Surfactant protein C
SP-C, orientation of L-α-DPPC and, IRRAS study in aqueous monolayers, 492
Spectroscopy
coupled plasmon-waveguide resonance, probing of proteolipid bilayers, 2791
kinetic, rhodopsin reaction mechanisms using, 688
Spermiogenesis, guinea pig, diffusion barriers to plasma membrane proteins during, 507
Spin labels, attached to insulin, interspin distances between, 3287
Squid giant axon, effects of bath resistance on action potentials, 2347
S5-S6 linker, repeat I, and conductance, L-type calcium channels, 1402
Stacking interactions, base-base and deoxyribose-base, B- and Z-DNA, 76
Stochastic resonance, molecular level, 2249
Structure, membrane, resolved by variable-period X-ray standing wave method, 1506
Subunits, dynamics of intersubunit communication, copper, zinc superoxide dismutase, 1007
Supercoiling, free energy of, temperature dependence, 2688
Supercoils, configurational transitions in, DNA, 1742
Superoxide dismutase, copper,zinc, dynamics of intersubunit communication, 1007
Surfactant, heat of transfer of, from vesicles into micelles, 1458
Surfactant protein C, pulmonary, effect of calcium on phospholipid interaction with, 2595
Synapses, effect of geometrical parameters on tansmission, Monte Carlo simulation, 2874
Synaptic events, spontaneous, detection with optimally scaled template, 220
Synaptic noise, effect on measurments of evoked excitatory postsynaptic response amplitudes, 205
Synaptosecretosomes, probablistic secretion of quanta, 1815

T

TATA, determinants of complex formation with TBP, 640
TATA box-binding protein, determinants of TATA complex formation with, 640
Tau, interaction of PIP_2 aggregates with gelsolin and, 1440
TBP. *see* TATA box-binding protein
Temperature
dependence of free energy of supercoiling, 2688
dependence of histidine ionization constants in myoglobin, 3241
dependence of Q-band EPR spectra, nitrosyl heme proteins, 3225
myosin changes induced by, skinned psoas muscle, 2304
stability of, and hydrophobic interactions, 2960
Tension maps, oxygen, hemoglobin saturation and, brain, AOTF microscope, 1223
Thin filament, myofibrillar, troponin C binding to, 293
Thrombin, site specific interaction with inhibitors, FCS, 2195
Thy-1, microdomains labelled by, localization by AFM, thymocytes, 1627
Thymocytes, Thy-1 labelled microdomains localized by AFM, 1627
Titin
elasticity and passive force mechanism in rat cardiac myocytes, 2043
interaction with actin, cardiac myofibrils, 905
Topological mechanisms, for renewal of epidermis, 38
Transduction, olfactory, high-gain, low-noise amplification in, 1110
Transfection, mechanisms with cationic liposomes anbd plasmid DNA, 2534
Transmission, synaptic, geometrical parameters on, Monte Carlo simulation, 2874
Transport, monovalent cation leak, erythrocytes, 733
Traveling wave pumping, dielectric characterization, PALS, 3309
Trehalose, induces destabilization of gel phase in DHPC, 3030
Tropomyosin, co-crystal with troponin T, molecular polarity in, 1763
Troponin C
binding to myofibrillar thin filament, 293
skeletal muscle, fluorescence study of single tryptophans of, 1042
Troponin T, co-crystal with tropomyosin, molecular polarity in, 1763

Tryptophan octyl ester, ionizaton, partitioning and dynamics of, 839
Tryptophans, single, fluorescence study of, troponin C, 1042
Tubulin, oligomers, GTP hydrolysis and, nucleation of microtubles, 418
TyrR, interactions with DNA, molecular crowding and, 3257

U

Urokinase receptor, migrating neutrophils, oscillations of CR4 and, 1777

V

Valinomycin/Rb^+ complex, charge pulse experiments on, inner membrane barrier, lipid membranes, 746
Velocity-curvature relationship, of colliding spherical calcium waves in cardiac myocytes, 1232
Vesicles
heat of transfer of lipid and surfactant from, into micelles, 1458
phospholipid, lipid headgroup and packing stress on PEG-induced aggregation, 277
Vibrational circular dichroism, absorption, LD spectra and, nucleic acids, 339
Vibrational spectra, membrane patches, using miniature IR wave guides, 2235
Virtual cell, modeling of cellular structure and function, 1135
VOD. *see* Vibrational circular dichroism
Voltage clamp, contractile activation kinetics in, frog skeletal muscle fibers, 1999
Voltage sensor, outer vestibule of sodium channels, 2260
Voltage-gating, properties of connexin-45 junctions, Xenopus oocytes, 757

W

Water
and cation binding in zinc chloride-regenerated bacteriorhodopsin, 2097
dielectric properties in model transbilayer pores, 2404
diffusion, role in stability and dynamics of G-actin, 624
excess, aligned lipid membrane systems in, 2924
ice-binding mechanism of antifreeze proteins, winter flounder, 2851
motional anisotropy in blood vessel walls, 1198
orientation of molecules in bacteriorhodopsin, polarized Fourier transform IRS, 1001
permeability of polyunsaturated bilayer lipid membranes, ^{17}O NMR, 855
pore region of nAChR, molecular dynamics, 1364
role in controlling native structure of bacteriorhodopsin, 2081
role in ER binding to DNA, 557
role in extracellular half channel of bacteriorhodopsin, 2718
role of, in association of lysozyme and mAb HyHEL-5, 2116
translational motion at bilayer interface, 2575

X

Xenopus laevis
magnetic field gradient levitation of, 1130
tail currents in myelinated axon of, 179
Xenopus oocytes, voltage-gating properties of connexin-45 junctions, 757
X-ray standing wave, variable-period, membrane structure resolved by, 1506

Z

Zinc-sensitive cation-selective channels, formed by amyloid β-protein, hypothalamic neurons, Alzheimer's disease, 67